Journal of Magnetism and Magnetic Materials 177–181 (1998) xxvii–li

ELSEVIER

journal of magnetism and magnetic materials

Contents

International Conference on Magnetism 1997
Cairns, Australia, 27 July–1 August 1997

Part I

Editorial xi

Comittees xv

Preface xvii

Sponsors xx

Magnetism Award xxi

Award 2000 xxiii

Obituary A.S. Borovik-Romanov xxv

Plenary papers

Birgeneau, R.J.
Random fields and phase transitions in model magnetic systems 1

v. Löhneysen, H., S. Mock, A. Neubert, T. Pietrus, A. Rosch, A. Schröder, O. Stockert and U. Tutsch
Heavy-fermion systems at the magnetic-nonmagnetic quantum phase transition 12

Maple, M.B.
High-temperature superconductivity 18

Shinjo, T. and T. Ono
Nanostructured magnetism: Studies of multilayers prepared on microstructured substrates 31

Chapter 1. Actinides

McEwen, K.A., U. Steigenberger, K.N. Clausen, J. Kulda, J.-G. Park and M.B. Walker
Quadrupolar and magnetic transitions in UPd_3 (*Invited paper*) 37

Kaczorowski, D., P.W. Klamut, A. Czopnik and A. Jeżowski
Unusual magnetic properties of UGa_3 single crystals 41

Löhle, J., K. Mattenberger and O. Vogt
High temperature susceptibility of UAs_xSe_{1-x} 43

Brück, E., H. Nakotte, J.C.P. Klaasse, F.R. de Boer and K.H.J. Buschow
High-field magnetisation and specific heat of the compound $UFe_{10}Si_2$ 45

Havela, L., A. Kolomiets, V. Sechovský, M. Diviš, M. Richter and A.V. Andreev
Magnetic properties of UFeGe 47

Honda, F., G. Oomi, T. Kagayama, A.V. Andreev, V. Sechovský, L. Havela, M.I. Bartashevich, T. Goto and A.A. Menovsky
Influence of external pressure on thermal expansion and electrical resistivity of UNi_2Si_2 single crystals 49

Kuznietz, M., E. Caspi, H. Pinto and M. Melamud
Ferrimagnetism in $U(Co_{0.05}Ni_{0.95})_2Si_2$ and $U(Ni_{0.95}Cu_{0.05})_2Si_2$ 51

Takabatake, T., M. Shirase, K. Katoh, Y. Echizen, K. Sugiyama and T. Osakabe
Superzone gap formation in UCu_2Sn 53

Taniguchi, T., H. Morimoto, Y. Miyako and S. Ramakrishnan
Low-temperature specific heat of $UNiSi_2$ 55

Chapter 2. Amorphous magnetism and spin glasses

Ryan, D.H., Z. Tun and J.M. Cadogan
The ferromagnet to spin-glass cross-over: A neutron depolarisation study (*Invited paper*) 57

Campbell, I.A., J. Hammann, H. Kawamura, R.H. McKenzie, P. Nordblad, R. Orbach and H. Takayama
Spin-glass dynamics (*Forum report*) 63

Takayama, H., H. Yoshino, T. Komori and K. Hukushima
Numerical study of aging processes in the SK and 3D–EA Ising spin-glass models 67

Kawamura, H. and K. Hukushima
Equilibrium simulation of chiral-glass order in a three-dimensional Heisenberg spin glass 69

Wagner, V., J. Klenke, M. Fricke, W. Kraan, M.Th. Rekveldt and J. Hesse
Irreversible effects in the re-entrant spin glass FeNiMn evidenced by neutron depolarization 71

Kopcewicz, M., A. Grabias and B. Kopcewicz
Short-range order in amorphous FeZrB(Cu) alloys investigated by the RF-Mössbauer technique 73

Gonçalves, L.L. and A.P. Vieira
Ising chain with random short- and long-range interactions 76

Gonçalves, L.L. and A.P. Vieira
Random isotropic one-dimensional XY-model 79

Kato, T., K. Kobuchi, H. Kubo and K. Zenmyo
Monte-Carlo simulation on random magnetic mixtures with competing anisotropy 81

Uchida, T. and Y. Kakehashi
Theory of isotropic itinerant-electron spin glasses in the vicinity of amorphous Fe 83

Staats, M., U. Nowak and K.D. Usadel
On the relaxation dynamics of diluted antiferromagnets 85

Deguchi, H., M. Aikawa, K. Ohtani and S. Takagi
The Griffiths phase in a diluted quasi-two-dimensional magnet $Ni_xMg_{1-x}(OH)_2$ 87

Hagiwara, M.
Cole–Cole plot analysis of the spin-glass system $NiC_2O_4 \cdot 2(2MIz)_{0.49}(H_2O)_{0.51}$ 89

Hagiwara, M. and K. Nagata
Magnetic behaviors of complex nature found in an oxide glass system containing deposited magnetite clusters at the superparamagnetic state 91

Ito, A., N. Yamamoto, J. Satooka, C. Uchikoshi, K. Kinugasa and S. Morimoto
Spin-glass-like freezing in the competing spin anisotropy system $Fe_{0.65}Co_{0.35}TiO_3$ 93

Jonason, K. and P. Nordblad
Overlap length scale of a re-entrant ferromagnet 95

Lubecka, M., L.J. Maksymowicz, R. Szymczak and W. Powroźnika
Determination of the internal magnetic field from the A–T critical line in magnetic semiconductor thin films 97

Imai, K., E. Masago, T. Saito, K. Shinagawa and T. Tsushima
Crossover from Heisenberg to Ising spin-glass-like magnetic properties in random anisotropy magnets amorphous $Dy_{16}M_xFe_{84-x}$ (M = Cu, Al, Cu and Al) 99

Sato, T.
Chiral-like spin ordering in Ni(Pt, Pd)Mn 101

Satooka, J. and A. Ito
The relaxation phenomena of the cluster-glass $Fe_{0.26}Zn_{0.74}F_2$ 103

Tobo, A. and A. Ito
Nonlinear AC susceptibility of the re-entrant spin-glass system $Mn_{0.60}Mg_{0.40}TiO_3$ 105

Favieres, C., M.C. Sánchez, E. López, C. Aroca, P. Sánchez and V. Madurga
Controlled magnetic anisotropy in as-obtained electrolytic cylindrical CoP amorphous multilayers 107

Jen, S.U. and Y.D. Chao
Magneto-impedance of amorphous $(FeV)_{80}B_{20}$ ribbons in a longitudinal field 109

Mendes, K.C. and F.L.A. Machado
Enhanced GMI in ribbons of $Co_{70.4}Fe_{4.6}Si_{15}B_{10}$ alloy 111

Morita, H., S.W. Kim, H. Yoshida and H. Fujimori
Study on high μ_d and large λ $(Fe_{1-x}Co_x)_{89}Zr_{11}$ amorphous films for magneto SAW devices 113

Moyo, T.
Volume effects in Fe-rich Fe–Zr amorphous alloys 115

Nakai, I.
Approach to magnetic saturation in amorphous Gd_2T (T = Co, Ni and Cu) 117

Rivero, G., M. Multigner, J.M. García, P. Crespo and A. Hernando
Magnetic and structural properties of electrodeposited Co–Ni–P amorphous ribbons 119

Sartorelli, M.L., M. Knobel and J.P. Sinnecker
Magneto-impedance relaxation in amorphous wires and ribbons 121

Takeuchi, J., T. Ago and K. Fujiwara
Magnetic properties of mechanically alloyed amorphous Fe–RE–Zr (RE = Ho, Dy, Er, Gd) 123

Tange, H., T. Matsuyama, A. Chikazawa, K. Konishi and T. Kamimori
Spin glass and Invar effect for Fe(ZrB) amorphous alloys 125

Vavassori, P., F. Ronconi, M. Traldi and E. Puppin
Surface crystallization and frequency dependence of AC coercivity in $Fe_{80}B_{20}$ amorphous alloy 127

Kemp, N.T., A.M. Stewart, J.E. Downes and A.B. Kaiser
Thermoelectric power of the $Fe_{85-x}(Cr, Ni)_xB_{15}$ series of glassy metals 129

Yano, K., Y. Tanaka and E. Kita
Magnetic properties and magnetic Compton scattering for amorphous $Cu_{100-x}Gd_x$ (X = 30, 50 and 60) alloys 132

Rosenberg, M., V. Kuncser, O. Crisan, A. Hernando, E. Navarro and G. Filoti
A Mössbauer spectroscopy and magnetic study of FeRh 135

Nishigori, S., Y. Hirooka and T. Ito
Spin-glass behavior in TbPdIn and DyPdIn 137

Ikeda, H., M. Takahashi, J.A. Fernandez-Baca and R.M. Nicklow
Neutron study of fracton excitations in percolating antiferromagnets 139

Chapter 3. Critical phenomena and phase transitions

Coldea, R., R.A. Cowley, T.G. Perring, D.F. McMorrow and B. Roessli
Critical scattering of $RbMnF_3$ revisited 141

Wildes, A.R., M.J. Harris and K.W. Godfrey
Two-dimensional critical fluctuations in $MnPS_3$ 143

Montenegro, F.C., K.A. Lima, M.S. Torikachvili and A.H. Lacerda
Phase diagram of the random-field Ising system $Fe_{0.60}Zn_{0.40}F_2$ at intense fields 145

Matsuura, M., K. Miyoshi, T. Yamao and M. Hagiwara
Negative divergence of nonlinear susceptibility in the ordering of 'ceramics' 147

Betsuyaku, H.
Coherent state of the 2D classical spin models 149

Grillon, M.P. and F.G. Brady Moreira
Tricritical points in a nearest-neighbor FCC antiferromagnet in an external field 151

Burioni, R., D. Cassi and C. Destri
Classical Heisenberg and spherical model on non-crystalline structures 153

Honda, Y. and T. Horiguchi
Density matrix renormalization group for 19-vertex model 155

Idogaki, T., A. Tanaka and J.W. Tucker
Bilinear-biquadratic quantum exchange model with single-ion uniaxial anisotropy 157

Iwashita, T., J. Oitmaa and T. Idogaki
Mixed Ising spin system with higher-order spin terms 159

Landau, D.P., A. Bunker and K. Chen
Critical dynamics of the anisotropic BCC Heisenberg antiferromagnet 161

Lara, D.P., J.A. Plascak, S.J. Ferreira and O.F. de Alcantara Bonfim
Pair approximation and Monte Carlo simulation for the spin S Blume–Capel model 163

Minami, K.
The exact susceptibility of the transverse Ising chain and Ising-type chains with arbitrary spin 165

Momoi, T., K. Kubo and K. Niki
Possibility of a chiral phase transition in 2D solid ^3He 167

Morón, C. and M. Mora
Monte Carlo simulation of domain growth kinetics in the Q-state ferromagnetic Potts model 169

Slanič, Z., D.P. Belanger and J.A. Fernandez-Baca
Random-field critical scattering at high-magnetic concentration in the Ising antiferromagnet $Fe_{0.93}Zn_{0.07}F_2$ 171

DeFotis, G.C., B. Lee, H.A. King and J. Hammann
Magnetization and susceptibility of $FeCl_2 \cdot H_2O$ 173

Hagiwara, M., T. Shimada, K. Miyoshi and M. Matsuura
Nonlinear susceptibility derived from harmonic response analysis near the magnetic critical temperatures of $CoCl_2$–GIC 175

Wosnitza, J., F. Pérez, H.B. Weber, T. Werner, H. v. Löhneysen and U. Schotte
Magnetic phase diagram of $CsCuCl_3$ for different field orientations 177

Yamao, T., M. Hagiwara, M. Matsuura and K. Koyama
Nonlinear electric response of $YBa_2Cu_4O_8$ ceramics at the inter-grain superconductive ordering 179

Yokoyama, Y., M. Usukura, S. Yuasa, Y. Suzuki, H. Miyajima and T. Katayama
MFM observation of magnetic phase transitions in ordered FeRh systems 181

Taylor, D.R., D.J. Loken and C.-H. Choo
Observation of continuous and discontinuous ordering in a random-field Ising model system 183

Stošić, T., B.D. Stošić and I.P. Fittipaldi
Exact zero-field susceptibility of the Ising model on a Cayley tree 185

Chapter 4. Domain walls and hysteresis

van Hoof, J.B.A.N., K.M. Schep, P.J. Kelly and G.E.W. Bauer
Ab initio magnetoresistance in magnetic domain walls (*Invited paper*) 188

Tatara, G. and H. Fukuyama
Effects of a domain wall on transport properties in mesoscopic metallic ferromagnets 193

Sobolev, V.L.
Internal structure of a domain wall in ultrathin magnetic film 195

Matsuyama, K., H. Asada, F. Nakamura, K. Umezu and K. Taniguchi
Micromagnetics of magnetization switching in nanostructured multilayer 197

Aragoneses, P., J.M. Blanco, L. Domínguez, J. González and K. Kulakowski
Evidence of negative tensile stress frozen in a CoSiB amorphous wire 199

Gourdin, C., L. Hirsinger, G. Barbier and R. Billardon
Experimental identification of the coupling between the anhysteretic magnetic and magnetostrictive behaviours 201

Didosyan, Y.S., H. Hauser, V.Y. Barash and P.L. Fulmek
Subsonic domain wall dynamics in yttrium orthoferrite 203

Chiriac, H., T.A. Óvári, M. Vázquez and A. Hernando
Magnetic hysteresis in glass-covered and water-quenched amorphous wires 205

Govindaraju, M., X. Fang, S.B. Biner and D.C. Jiles
Effect of stress and microstructural changes on magnetic properties of nickel–alumina composites 207

Kleemann, W., Ch. Jakobs, Ch. Binek and D.P. Belanger
Kinetics of random-field-induced domains in the two-dimensional Ising antiferromagnet $Rb_2Co_{0.85}Mg_{0.15}F_4$ 209

Koizumi, A., N. Sakai, S. Mitsudo and M. Motokawa
Sweep-rate effect on magnetic hysteresis in amorphous $Tb_{60}Fe_{20}Al_{20}$ 211

Pardavi-Horvath, M.
Magnetization process in a 2-D array of small magnetic particles 213

Prieto, J.L., P. Sánchez, C. Aroca, M. Maicas, E. López and M.C. Sánchez
Domain-wall patterns in magnetostatically coupled bilayers 215

Chang, S.K., J.S. Woo, S.Y. Cha and I.B. Chudakov
Stabilization and destabilization of domain wall positions in Fe–Si polycrystals using magnetic annealing effects 217

Rodríguez, M., P. Velasco, C. Aroca, E. López, M.C. Sánchez and P. Sánchez
Different mechanism of induced helical anisotropy in low-magnetostriction amorphous ribbons 220

Rose, J., J.N. Chapman, G.N. Phillips, H. Laidler and K. O'Grady
Time-dependent effects in materials with two-stage reversal processes 223

Shin, K.H., C.D. Graham, Jr. and P.Y. Zhou
Effects of application of axial fields on asymmetric magnetization reversal 225

Huo, S., J.E.L. Bishop, J.W. Tucker, W.M. Rainforth and H.A. Davies
Micromagnetics of a square iron platelet containing the junction of four 90° domain walls 227

Huo, S., J.E.L. Bishop, J.W. Tucker, W.M. Rainforth and H.A. Davies
3-D simulation of Bloch lines in 180° domain walls in thin iron films 229

Müller, M., T. Lederer, K.H. Fornacon and R. Schäfer
Grain structure, coercivity and high-frequency noise in soft magnetic Fe–81Ni–6Mo alloys 231

Chapter 5. Oxides, ferrites and garnets

Adachi, N., T. Hibi and T. Okuda
Magnetic and magnetooptic properties of LPE films of Nd–Lu–Y iron garnet 233

Turpin, G.B. and P.E. Wigen
Carrier generation/recombination in the resistivity decay process of Ca : YIG films 235

Clark, T.M. and B.J. Evans
Mössbauer investigation of M-type hexaferrites above their Curie temperatures 237

Štěpánková, H., J. Kohout, P. Novák, J. Englich, H. Lütgemeier and M. Trhlík
Hyperfine field anisotropy in YIG with diamagnetic impurities 239

Hoshi, Y., H. Shinozaki, H. Shimizu, K. Kato and F. Kaneko
Alternate layer deposition method for the deposition of *c*-axis oriented hexagonal barium ferrite thin films 241

Kino, Y., F.P. Okamura, K. Yamamoto and K. Siratori
An observation of localized 3d electron density distribution of Fe_3O_4 243

Kurimoto, M., S. Matsubayashi, K. Ando, K. Shinagawa, T. Saito and T. Tsushima
Temperature dependence of the Faraday effect in Rh^{4+}-substituted magnetic garnets 245

Santos, A., J.D. Ardisson, E.B. Tambourgi and W.A.A. Macedo
Synthesis of granular $Fe–Al_2O_3$ by the sol–gel method 247

Matsubayashi, S., F. Yakabe, M. Kurimoto, K. Shinagawa, T. Saito and T. Tsushima
Charge-transfer transitions of 4d- and 5d-transition elements in garnets 249

Shinagawa, K., E. Tobita, T. Saito and T. Tsushima
Faraday effect in (Pb^{2+}, Th^{+})-substituted magnetic garnets 251

Štěpánková, H., J. Englich, E.G. Caspary and H. Lütgemeier
Hyperfine field anisotropy on iron nuclei in barium hexaferrite 253

Wu, E., S.J. Campbell and W.A. Kaczmarek
A Mössbauer effect study of ball-milled strontium ferrite 255

Song, Y.Y., S.C. Yu, W.T. Kim, J.R. Park and T.H. Kim
The effect of Bi_2O_3 addition on the microstructure and magnetic properties of YIG 257

Zhu, S.-C. and H.-Y. Chen
Research on the magnetic spectrum of power-supply ferrite materials 259

Shiozaki, I.
Magnetic property of vanadium–molybdenum oxides 261

Taniyama, T. and I. Nakatani
Nonlinear susceptibility of ferromagnetic $Ga_{0.6}Mo_2S_4$ spinel 263

Chapter 6. Heavy-fermion and intermediate-valence systems

Julian, S.R., F.V. Carter, F.M. Grosche, R.K.W. Haselwimmer, S.J. Lister, N.D. Mathur, G.J. McMullan, C. Pfleiderer, S.S. Saxena, I.R. Walker, N.J.W. Wilson and G.G. Lonzarich
Non-Fermi-liquid behaviour in magnetic d- and f-electron systems (*Invited paper*) 265

Aoki, Y., T.D. Matsuda, H. Sugawara, H. Sato, H. Ohkuni, R. Settai, Y. Ōnuki, E. Yamamoto, Y. Haga, A.V. Andreev, V. Sechovsky, L. Havela, H. Ikeda and K. Miyake
Thermal properties of metamagnetic transition in heavy-fermion systems (*Invited paper*) 271

Takabatake, T., F. Iga, T. Yoshino, Y. Echizen, K. Katoh, K. Kobayashi, M. Higa, N. Shimizu, Y. Bando, G. Nakamoto, H. Fujii, K. Izawa, T. Suzuki, T. Fujita, M. Sera, M. Hiroi, K. Maezawa, S. Mock, H. v. Löhneysen, A. Brückl, K. Neumaier and K. Andres
Ce- and Yb-based Kondo semiconductors (*Invited paper*) 277

Bao, W., C. Broholm, G. Aeppli, S.A. Carter, P. Dai, C.D. Frost, J.M. Honig and P. Metcalf
Magnetic correlations in a classic Mott system (*Invited paper*) 283

de Visser, A., R.J. Keizer, M.J. Graf, A.A. Menovsky and J.J.M. Franse
On the interplay of small-moment magnetism and superconductivity in UPt_3 (*Invited paper*) 287

Hauser, R., M. Galli, E. Bauer, A. Kottar, G. Hilscher and D. Kaczorowski
Tuning of a non-Fermi-liquid state in $CeNiGa_2$ 292

Vargoz, E. and D. Jaccard
Superconducting and normal properties of $CeCu_2Ge_2$ at high pressure 294

Edwards, D.M. and A.C.M. Green
De Haas–van Alphen oscillations in the high-field state of the Anderson lattice 296

Keller, N., S.A.J. Wiegers, J.A.A.J. Perenboom, A. de Visser, A.A. Menovsky and J.J.M. Franse
Fermi surface and heavy quasi-particles of URu_2Si_2 298

Garcia Soldevilla, J., J.C. Gómez Sal, J.I. Espeso, J. Rodriguez Fernandez, J.A. Blanco, M.T. Fernandez Diaz and H. Buttner
Simultaneous changes of the 4f-conduction band hybridization and the density of states in the $CeNi_{1-x}Cu_x$ compounds 300

Shiina, R., H. Shiba and P. Thalmeier
Magnetic-field effects on quadrupolar ordering in CeB_6 303

Yoshizawa, M., H. Kitaichi, M. Nakamura, M. Hedo, Y. Inada, E. Yamamoto, Y. Haga, Y. Ōnuki, H. Sugawara and H. Sato
Vortex phase diagram of $CeRu_2$ 305

Kohgi, M., K. Iwasa, J.-M. Mignot, A. Ochiai and T. Suzuki
Spin dynamics of the low-carrier heavy-electron system Yb_4As_3 307

Helfrich, R., M. Köppen, M. Lang, F. Steglich and A. Ochiai
New observations concerning the low-temperature properties of the carrier-poor heavy-fermion system Yb_4As_3 309

Büsser, C., E.V. Anda, L. Urba, V. Ferrari and G. Chiappe
Metal–insulator transition in highly correlated systems 311

Davidovich, M.A., E.V. Anda, J.R. Iglesias and G. Chiappe
Kondo effect on tunneling currents in a mesoscopic ring 313

Shimizu, Y., O. Sakai and S. Suzuki
Analysis of non-Fermi-liquid behavior in dilute uranium alloy based on numerical renormalization group method 316

Gulacsi, M. and P.W. Anderson
Two-body scattering phase shifts in the Hubbard model 319

Harima, H.
FLAPW band structure calculation and fermi surface for $LaFe_4P_{12}$ 321

Keiter, H. and S. Kilić
Unusual perturbation methods for strongly correlated electron systems 323

Misawa, S.
Fermi-liquid description for susceptibility maximum and near-metamagnetism in heavy-fermion compounds 325

Sakai, O., S. Suzuki and Y. Shimizu
$T^{1/2}$ decreasing resistivity with decreasing temperature: A two-channel impurity Anderson model with an extra local spin 327

Tanaka, S., H. Harima and A. Yanase
Calculation of mass enhancement factor in heavy fermion compounds 329

Tovar Costa, M.V., N.A. de Oliveira, G.M. Japiassú, M.A. Continentino and A. Troper
Temperature-driven metal–non-metal transition in Kondo insulators 331

Doktor, M., A. Indinger, R. Hauser, H. Michor, G. Hilscher and E. Bauer
High pressure and field response of $YbCu_4Au_xAg_{1-x}$ 333

Hashi, K., A. Oyamada, S. Maegawa, T. Goto, D.X. Li and T. Suzuki
NMR study of the magnetic transition and the Fermi-liquid behavior in YbAs 335

Iga, F., N. Shimizu and T. Takabatake
Single crystal growth and physical properties of Kondo insulator YbB_{12} 337

Ohoyama, K., M. Kohgi, K. Hashi, A. Oyamada and T. Suzuki
A study of short-range spin correlations in Yb monopnictides 339

Ohta, H., T. Nanba, K. Lehnert, S.J. Allen, M. Motokawa, F. Iga and M. Kasaya
Spectroscopic study of Kondo insulator YbB_{12} using a free electron laser 341

Oyamada, A., K. Hashi, S. Maegawa, T. Goto, D.X. Li, T. Suzuki and F. Hulliger
Nuclear magnetic relaxation measurements in Yb-monopnictides 343

Pittini, R., M. Ikezawa, A. Ochiai, H. Aoki and T. Suzuki
Yb_4As_3 and $Yb_4(As_{0.71}Sb_{0.29})_3$, two ways to heavy-fermion character 345

Hanzawa, K.
Anisotropic hybridization gap in intermediate-valence Sm compounds 347

Kimura, S., Y. Ufuktepe, K.G. Nath, T. Kinoshita, H. Kumigashira, T. Takahashi, T. Matsumura, T. Suzuki, H. Ogasawara and A. Kotani
4d–4f and 3d–4f resonant photoemission of TmX (X = S, Se, Te) 349

Kimura, S., D.X. Li, Y. Haga and T. Suzuki
Magnetic field dependence of low-energy excitation of GdAs 351

Marumoto, K., F. Takayama and Y. Miyako
Crystal-field splitting of praseodymium in the dilute system $(Pr_xLa_{1-x})Ru_2Si_2$ 353

Sakon, T., Y. Nakanishi, M. Ozawa, H. Nojiri, T. Suzuki and M. Motokawa
Magnetization and dHvA effect study of the rare-earth monopnictides in high magnetic fields 355

Settai, R., S. Araki, P. Ahmet, M. Abliz, K. Sugiyama and Y. Ōnuki
Anisotropic ferroquadrupolar phase in magnetic fields for $PrCu_2$ 357

Sugawara, H., Y. Abe, Y. Aoki, H. Sato, M. Hedo, R. Settai and Y. Ōnuki
De Haas–van Alphen effect in RFe_4P_{12} (R = La and Nd) 359

Sugiyama, K., Y. Yoshida, A. Koyanagi, R. Settai, T. Takeuchi, K. Kindo and Y. Ōnuki
Metamagnetism based on the quadrupolar interaction in RCu_2 361

Wada, H., A. Nakamura, A. Mitsuda, M. Shiga, H. Mitamura and T. Goto
Field-induced valence transition in $EuNi_2(Si_{1-x}Ge_x)_2$ 363

Aoki, D., Y. Katayama, R. Settai, Y. Inada, Y. Ōnuki, H. Harima and Z. Kletowski
De Haas–van Alphen effect and the antiferroquadrupolar ordering of $PrPb_3$ 365

Kishimoto, Y., T. Ohno, T. Kanashiro, T. Taki, K. Nakamura, T. Hihara, K. Sumiyama and K. Suzuki
^{51}V Knight shift in the superconducting state of V_3Si 367

Haworth, C.J., H. Aoki, M. Takashita, T. Terashima, T. Matsumoto, N. Sato and S. Kunii
The Fermi surface of CeB_6 under pressure 369

Aoki, H., M. Takashita, C.J. Haworth, T. Matsumoto, T. Terashima, S. Uji, C. Terakura, T. Miura, A. Uesawa and T. Suzuki
dHvA effect of CeSb under pressure in the antiferromagnetic phase 371

Delin, A. and B. Johansson
Valence degeneracy in cerium systems 373

Donnevert, L., P. Hellmann, S. Thomas, O. Trovarelli, C. Geibel, G. Sparn and F. Steglich
Development of magnetic order in $CeCu_2(Si_{1-x}Ge_x)_2$ as a function of hybridization 375

Dumpich, G., U. Eberhardt, E.F. Wassermann, Y. Miyako, R. Hamada and T. Taniguchi
Resistance and magnetic behavior of $Ce_{1-x}Al_x$ thin films 377

Ekino, T., H. Umeda, K. Katoh, T. Takabatake and H. Fujii
Tunneling spectroscopy of the Kondo semiconductor $Ce_3Bi_4Pt_3$ 379

Maehira, T., M. Higuchi and A. Hasegawa
Origin of the frequency branch γ of the de Haas–van Alphen effect in $CeSn_3$ 381

Hiraoka, T., T. Nobata, R. Hara, G. Nakamoto and M. Kurisu
Approach of the state from antiferromagnetic to heavy fermion in $CeIn(Ag_{1-x}Cu_x)_2$ under pressure 383

Ido, H., T. Nishioka and M. Kontani
Magnetic properties of $ThMn_{12}$-type $CeCu_4Al_8$ and related Ce-compounds: Heat-treatment effects 385

Imada, S., M. Tsunekawa, T. Iwasaki, S. Suga, Y. Onuki, F. Iga, M. Kasaya, Y. Kawasaki, K. Ishida, Y. Kitaoka and K. Asayama
Photoemission of CeX_2Y_2 and $Ce(Pd_{1-x}Cu_x)_3$ 387

Inada, Y., M. Hedo, K. Sakurai, E. Yamamoto, Y. Haga, Y. Ōnuki and S. Takahashi
Quantum oscillation in the superconducting vortex state of $CeRu_2$ 389

Isikawa, Y., T. Kuwai, H. Takagi, T. Mizushima, J. Sakurai, A. Ishiguro, M. Yasumoto, A. Sawada and T. Komatsubara
dHvA effect and magnetoresistance in $CeNi_2Al_5$ 391

Iwasa, K., M. Kohgi, N. Nakajima, R. Yoshitake, Y. Hisazaki, H. Osumi, K. Tajima, N. Wakabayashi, Y. Haga, A. Ochiai, T. Suzuki and A. Uesawa
X-ray diffraction studies of lattice properties in CeX (X = P and As) and Yb_4As_3 393

Izawa, K., T. Suzuki, T. Fujita, T. Takabatake, G. Nakamoto, H. Fujii and K. Maezawa
Anomalous field dependence of specific heat of CeNiSn below 1 K 395

Kontani, M., T. Sumi, S. Taniguchi, H. Ido and M. Hamada
NMR studies of Th_2Zn_{17}-type $U_2Cu_8Al_9$ and $Ce_2Cu_8Al_9$ 397

Kuwai, T., H. Takagi, H. Ito, Y. Isikawa, J. Sakurai, K. Nishimura and C.C. Paulsen
Low-temperature properties of $CePd_2Sn_2$ 399

Link, A., F. Laube, L. Donnevert, G. Sparn, C. Geibel and F. Steglich
Magnetic to superconducting transition in $CeCu_2Si_2$ under pressure 401

Noguchi, S., K. Okuda, H. Nojiri and M. Motokawa
Magnetic properties of CeSi single crystal 403

Okumura, H., K. Kakurai, Y. Yoshida, Y. Onuki and Y. Endoh
Magnetic structure of $CeCu_{6-x}Au_x$ 405

Sakurai, J., H. Takagi, T. Kuwai and Y. Isikawa
The thermoelectric power of antiferromagnetic Ce-Kondo compounds 407

Sato, H., Y. Aoki, J. Urakawa, T.D. Matsuda, H. Sugawara, T. Fukuhara and K. Maezawa
Non-Fermi-liquid behavior in $CeNi_2Ge_2$ single crystals 409

Sekine, C., T. Tayama, T. Sakakibara, S. Murayama, I. Shirotani and Y. Ōnuki
Low-temperature magnetization of $Ce(Ru_{0.85}Rh_{0.15})_2Si_2$ 411

Strydom, A.M. and P.d.V. du Plessis
Magnetoresistance in $Ce_xNd_{1-x}Cu_6$ 413

Suzuki, T., N. Okuda, H. Goshima, T. Fujita, M. Hedo, Y. Inada, Y. Onuki, E. Yamamoto and Y. Haga
Acoustic de Haas van Alphen effect of $CeRu_2$ 415

Takashita, M., H. Aoki, C.J. Haworth, T. Matsumoto, T. Terashima, S. Uji, C. Terakura, T. Miura, K. Maezawa, R. Settai and Y. Ōnuki
dHvA effect of $CeRu_2Si_2$ under pressure 417

Taniguchi, T., Y. Tabata, H. Tanabe and Y. Miyako
Non-Fermi-liquid-like behavior in $Ce(Ru_{1-x}Rh_x)_2Si_2$ $(0.3 \leqslant x \leqslant 0.5)$ 419

Terashima, T., C. Haworth, M. Takashita, S. Uji, H. Aoki, Y. Haga, A. Uesawa and T. Suzuki
High magnetic field dHvA effect measurements of CeP 421

Ushida, Y., T. Nishioka and M. Kontani
Magnetic properties of $(Ce_{1-x}La_x)_5Si_{2.69}$ 423

Nakama, T., Y. Uwatoko, T. Kohama, A.T. Burkov, Y. Yamaguchi, H. Yoshida, S. Abe, T. Kaneko, N. Môri and K. Yagasaki
Pressure effect on superconducting transition temperature of $Ce_{1-x}La_xRu_2$ 425

Yoshii, S., H. Suzuki, T. Miyazaki and M. Kasaya
Metamagnetic behavior in the new Kondo compound CePtAs 427

Hiroi, M., M. Sera, T. Sakon, H. Nojiri, N. Kobayashi, M. Motokawa and S. Kunii
Magnetoresistance and high-field magnetization of $Ce_{0.5}La_{0.5}B_6$ and $Ce_{0.7}La_{0.3}B_6$ single crystals 429

Jourdan, M., M. Huth, S. Mouloud and H. Adrian
Tunneling junctions of the heavy-fermion superconductor UPd_2Al_3 431

Coqblin, B., J.R. Iglesias and C. Lacroix
Magnetic correlations in the Kondo lattice: the Doniach diagram revisited 433

de Visser, A., R.J. Keizer, R. van Harrevelt, A.A. Menovsky, J.J.M. Franse, A. Amato, F.N. Gygax, M. Pinkpank and A. Schenck
μSR study of magnetism in heavy-fermion $U(Pt,Pd)_3$ 435

Haga, Y., E. Yamamoto, N. Kimura, M. Hedo, H. Ohkuni and Y. Ōnuki
High-quality single crystal growth of uranium-based intermetallics 437

Higuchi, M., Y. Onuki and A. Hasegawa
Atomic structures of the rare-earths and actinides via relativistic current- and spin-density functional theory 439

Kohori, Y., M. Ishii and T. Kohara
^{195}Pt NMR study in $U(Pt_{1-x}Pd_x)_3$ 441

Langhammer, C., R. Helfrich, A. Bach, F. Kromer, M. Lang, T. Michels, M. Deppe, F. Steglich and G.R. Stewart
Evidence for the existence of two variants of UBe_{13} 443

López de la Torre, M.A., M. Ellerby, M. Watmough and K.A. McEwen
Magnetic and electrical properties of $UCu_{5-x}Ni_x$ 445

Matsuda, K., Y. Kohori and T. Kohara
^{105}Pd NMR and NQR studies in heavy-fermion superconductor UPd_2Al_3 447

Metoki, N., Y. Haga, Y. Koike, N. Aso and Y. Onuki
Neutron scattering study of the correlation of magnetism and superconductivity in heavy-fermion superconductor UPd_2Al_3 449

Nishioka, T., K. Mizutani, S. Taniguchi and M. Kontani
Anomalous low-temperature behavior in Th_2Zn_{17}-type $U_2Cu_xAl_{17-x}$ 451

Ohno, T., Y. Homma, Y. Shiokawa, T. Nishioka, M. Kontani, K. Sumiyama and K. Suzuki
AC susceptibility of amorphous dense Kondo UPd_2Al_3 453

Park, J.-G., H.-C. Ri, K. Kuwahara and H. Amitsuka
Thermal hysteresis in magnetization of single crystal URu_2Si_2 455

de V. du Plessis, P., A.M. Strydom, T. Cichorek, R. Troć and E.M. Levin
Low-temperature studies of non-Fermi liquid $UCu_{5-x}Pd_x$ 457

Ramakrishnan, S., C.J. Haworth, M. Takashita, T. Terashima, H. Aoki, B. Becker, A.A. Menovsky, G.J. Nieuwenhuys and J. Mydosh
dHvA oscillations and high-field magnetoresistance in $U_2Rh_3Si_5$ 459

Suzuki, T., K. Kumagai, Y. Kohori and T. Kohara
Study of antiferromagnetic order in $U(Pt_{1-x}Pd_x)_3$ by heat capacity measurement 461

Takeuchi, T., Y. Haga, K. Iwasa, M. Kohgi and T. Suzuki
Magnetoelastic properties of CeP 463

Tang, J., A. de Visser, A. Matsushita and T. Matsumoto
Specific heat of $U(Pt,Pd)_3$ under pressure 465

Ueda, K., T. Kohara, D.A. Gajewski and M.B. Maple
NMR study of non-Fermi liquid system $Sc_{1-x}U_xPd_3$ 467

Watmough, M., K.A. McEwen, M. Ellerby and M.A. López de la Torre
A magnetic study of the heavy-fermion systems $U_{1-x}Y_xCu_5$ and $UCu_{5-x}Ag_x$ 469

Pittini, R., J. Schoenes and P. Wachter
Anomalous field dependence of the IR magneto-optical Kerr rotation in CeSb 472

Ban, S., K. Itoh, N. Ohkubo and K. Kanematsu
Mössbauer studies on valence change of rare-earth ions $Ce_{1-x}R_xFe_2$ (R = La, Pr, Nd) 475

Tung, L.D., J.J.M. Franse, K.H.J. Buschow, P.E. Brommer, J.H.P. Colpa, J.C.P. Klaasse and A.A. Menovsky
Magnetic properties of a $CeCoAl_4$ single crystal 477

Abe, H., H. Kitazawa, H. Suzuki and G. Kido and T. Matsumoto
Magnetic properties of $CeRh_2Si_2$ and $CePd_2Si_2$ single crystals 479

Yoshie, H., W. Takahashi, H. Ishizone, Y. Amako, H. Nagai, M. Shiga, H. Wada and K. Adachi
Nuclear magnetic resonance of $CeCo_4B$ 481

Chapter 7. High-T_c and conventional superconductors

Fukuyama, H. and H. Kohno
On the spin excitations of high-T_c cuprates (*Invited paper*) 483

Kitaoka, Y., K. Magishi, S. Matsumoto, K. Ishida, S. Ohsugi, K. Asayama, M. Uehara, T. Nagata and J. Akimitsu
Systematic NMR studies of high-T_c and two-leg spin-ladder systems (*Invited paper*) 487

Sushkov, O.P.
The spin-wave condensation and quantum melting of long-range antiferromagnetic order in the t–J model 493

Gonzalez, E.M., A.M. Gomez, J.M. Gonzalez and J.L. Vicent
Dimensional behavior of the anisotropy in the mixed state of a-axis oriented $EuBa_2Cu_3O_7/PrBa_2Cu_3O_7$ and $EuBa_2Cu_3O_7/SrTiO_3$ multilayers 495

Baumann, M., G. Nakielski, A. Spirgatis and J. Kötzler
Marginally stable diamagnetic screening below the vortex-glass transition of $YBa_2Cu_3O_7$ 497

Wisniewski, A., R. Puzniak, R. Szymczak, M. Baran and J. Karpinski
Magnetic studies of flux pinning in $YBa_2Cu_3O_{7-x}$, $YBa_2Cu_4O_8$ and Hg-based single crystals 499

Markvardsen, A.J., A.T. Boothroyd, B. Buck, G.J. McIntyre and Th. Wolf
Magnetisation density in single-crystal $PrBa_2Cu_3O_{6.24}$ 502

Nishimoto, S. and Y. Ohta
Magnetism and superconductivity of strongly correlated BEDT-TTF salts: An exact-diagonalization study 505

Narikiyo, O.
Nested spin-fluctuation theory for spin-gap behaviors of thermodynamic properties in the normal state of high-T_c cuprates 507

Landinez Tellez, D.A., J.M. Ferreira and J. Albino Aguiar
Superconductivity and normal-state magnetism of $CaLaBaCu_{3-x}Co_xO_7$ superconductor 509

Amaral, V.S., J.G. Correia, A.A.C.S. Lourenço, J.G. Marques, J.A. Mendes, M.A. Baptista, J.P. Araújo, J.M. Moreira, J.B. Sousa, E. Alves, M.F. da Silva and J.C. Soares
Microscopic studies of radioactive Hg implanted in $YBa_2Cu_3O_{6+x}$ superconducting thin films 511

Cabral, L.R.E., D.A. Landinez Tellez, P.H. Kes and J. Albino Aguiar
Pinning-force measurements in $Bi_2Sr_2CaCu_2O_{8+y}$ 513

Arai, J. and T. Yamagishi
Mössbauer study of high-T_c superconductor $Bi_2Sr_2Ca_{1-x}Y_x(Cu_{1-y}Fe_y^{57})_2O_{8+z}$ 515

Böttger, G., P. Fischer, A. Dönni, Y. Aoki, H. Sato and P. Berastegui
Magnetic properties and long-range magnetic order of Er^{3+} in $Er_2Ba_4Cu_7O_{14.92}$ 517

Hanson, M., Z.G. Ivanov, C. Johansson, Yu. Kislinski and P. Larsson
A magnetic phase transition studied with high-T_C SQUIDs 519

Hirayama, T., M. Nakagawa, A. Sumiyama and Y. Oda
Thermal history dependence of superconducting properties in $La_2CuO_{4+\delta}$ 521

Lee, S.L., C.M. Aegerter, C. Ager, E.M. Forgan, S.H. Lloyd and H. Keller
Muon-spin rotation (μSR) measurements on $Bi_2Sr_2CaCu_2O_{8+\delta}$ in the presence of columnar defects 523

Machi, T., M. Kosuge, N. Koshizuka and H. Yasuoka
NQR study in $YBa_2Cu_4O_8$ under high pressure 525

Man, N.K., K.B. Garg, T.D. Hien, N.H. Sinh, N.X. Phuc and S. Venkatesh
X-ray photoelectron spectroscopies of Ni-doped Bi-2212 compounds 527

Matsukawa, M., K. Iwasaki, K. Noto, N. Kobayashi and Y. Shiohara
In-plane thermal conductivity of a large single crystal of $YBa_2Cu_3O_{7-x}$ in the mixed state 529

Mukhin, A.A., V.D. Travkin, S.P. Lebedev, A.S. Prokhorov, J. Hejtmanek, V. Nekvasil and V. Zelezny
Far-infrared properties and magnetic excitations in $PrBa_2Cu_3O_6$ 531

Nakagawa, M., S. Utsumi, T. Hirayama, A. Sumiyama and Y. Oda
Measurement of paramagnetic Meissner effect in s-wave superconductor 533

Nekvasil, V., S. Jandl, T. Strach, T. Ruf and M. Cardona
On the multiple peak structure of electronic Raman scattering spectra in Ce-doped Nd_2CuO_4 535

Ohno, T., K. Koyama and H. Yasuoka
Changes in the on-site holes of plane site Cu(2) and chain site Cu(1) in Pr-doped $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 537

Hücker, M., J. Pommer, W. Schlabitz, V. Kataev and B. Büchner
Magnetic properties of the CuO_2 planes in the low-temperature tetragonal phase of Eu-doped $La_{2-x}Sr_xCuO_4$ 539

Sekizawa, K., M. Kitagawa and Y. Takano
Magnetic properties of Pr ions in perovskite-type oxides 541

Smith, T.J., K.H. Andersen, U. Beck, H. Capellmann, R.K. Kremer, K.-U. Neumann, O. Schärpf, A. Simon and K.R.A. Ziebeck
Absence of local moments in superconductor $YBa_2Cu_3O_{6.95}$ 543

Wagener, W., H.-H. Klauß, M. Hillberg, M.A.C. de Melo, W. Kopmann, M. Birke, F.J. Litterst, B. Büchner and H. Micklitz
μ^+SR on $La_{2-x-y}RE_xSr_yCuO_4$ 545

Kimishima, Y., K. Inagaki, K. Tanabe, N. Nagata and Y. Ichiyanagi
AC magnetic susceptibility of Bi2223-system 547

Ikebe, M., H. Fujishiro and H. Iwasaki
Magnetic structure and dipolar interaction in antiferromagnetic superconductor BCT-$ErRh_4B_4$ 549

El-Hagary, M., H. Michor, C. Jambrich, R. Hauser, M. Galli, E. Bauer and G. Hilscher
Specific heat of $HoNi_2B_2C$ 551

Kim, K.-S., S.-C. Yu, V. Ström and K.V. Rao
Superconductivity of rapidly quenched $YC(NiB)_x$ ($x = 2,3,4$) borocarbides 553

Mulders, A.M., P.C.M. Gubbens, U. Gasser, C. Baines and K.H.J. Buschow
Two magnetic moments observed at the Tm site in the magnetic superconductor $TmNi_2B_2C$ 555

Saito, T., N. Oka, K. Koyama, K. Mizuno, K. Endo and H. Deguchi
^{13}C NMR study of borocarbide superconductor YNi_2B_2C 557

Aoki, Y., H.R. Sato, T.D. Matsuda, H. Sugawara and H. Sato
Coexistence of, and competition between, superconductivity and magnetism in $YbPd_2Sn$ 559

Ager, C., S.L. Lee, C.M. Aegerter, F. Pratt, S.J. Blundell, S.H. Lloyd, T. Sasaki, E.M. Forgan and H. Keller
Angular-dependent muon-spin rotation on the mixed state of the organic superconductor K-(BEDT-TTF)$_2$CU(SCN)$_2$ 561

Chapter 8. Itinerant magnetism

Levitin, R.Z. and A.S. Markosyan
Effects of magnetic instability in f–d intermetallic compounds (*Invited paper*) 563

Kotani, T. and H. Akai
Optimized-effective-potential method with exact exchange and exact RPA correlation-3d metals 569

Dubenko, I.S., E. Gratz, A. Lindbaum, A.S. Markosyan, S.A. Markossian, V.E. Rodimin and G. Wiesinger
Suppression of the enhanced paramagnetic thermal expansion of YMn_2 by Fe substitutions 571

Kakehashi, Y., S. Akbar and N. Kimura
Molecular dynamics theory of complex magnetic structures in itinerant magnets 573

Kioussis, N., A.N. Kocharian and S. Park
One-dimensional Hubbard model in the presence of magnetic field 575

Trapper, U., D. Ihle, H. Büttner and H. Fehske
Magnetic short-range order effects in the 2D t–J model 577

Goto, T., Y. Shindo, S. Ogawa and T. Harada
Magnetic properties of $Co(S_{1-x}Se_x)_2$ under high magnetic field and high pressure 579

Kreiner, K., H. Michor, G. Hilscher, N.V. Baranov and S.V. Zemlyanski
Evolution of the electronic specific heat and magnetic order in $(Fe_{1-x}Ni_x)Rh$ 581

Itoh, M., H. Tanaka and K. Motoya
NMR study of electronic and magnetic properties of $La_{1-x}Sr_xTiO_3$ 583

Iwamoto, Y., K. Ueda, T. Kohara, A.V. Andreev, L. Havela and V. Sechovsky
NMR and NQR studies of UCoAl with 5f-band metamagnetism 585

Kamishima, K., T. Goto, T. Kanomata and M.I. Bartashevich
Magnetic properties of $Mn_3(Ga, Al)C$ under high magnetic field and high pressure 587

Kanomata, T., Y. Sugawara, K. Kamishima, H. Mitamura, T. Goto, S. Ohta and T. Kaneko
Pressure effect on spontaneous magnetization of Cr_2Te_3 and Cr_5Te_8 589

Kato, T., K. Hondou and K. Iio
Magnetism of the Ni^{2+} kagome lattice in $Rb_2Ni_3S_4$ 591

Motoya, K., K. Nakaguchi, A. Nakaju, K. Ishiguchi, T. Kawasaki, M. Itoh, Y. Ueda and S. Shin
NMR and neutron scattering studies of metallic phase of $(V_{1-x}Ti_x)_2O_3$ 593

Nakamura, H., F. Takayanagi and M. Shiga
NMR of the helical magnet YMn_2 595

Cuong, T.D., L. Havela, V. Sechovský, Z. Arnold, J. Kamarád and N.H. Duc
Evolution of magnetism in $Ho(Co_{1-x}Si_x)_2$ compounds 597

Fleck, M., A.M. Oleś and L. Hedin
Magnetism near the Van Hove singularity 599

Stewart, J.R., A.D. Hillier, S.H. Kilcoyne, P. Manuel, M.T.F. Telling and R. Cywinski
Moment localisation in β-MnAl 602

Terao, K. and H. Yamada
Electronic structure and magnetism of Y_2Fe_3Mn with cubic Laves-phase structure 605

Yamada, H., K. Terao and M. Aoki
Electronic structure and magnetic properties of CoS_2 607

Thessieu, C., K. Ishida, Y. Kitaoka, K. Asayama and G. Lapertot
Pressure effect on MnSi: An NMR study 609

Chapter 9. Low-dimensional magnetism

Hase, M.
Coexistence of spin-Peierls and antiferromagnetic long-range orders in $CuGeO_3$ doped with impurities (*Invited paper*) 611

Würsch, Ch. and D. Pescia
Test of scaling theory at a two-dimensional Ising-like transition using a monolayer of iron (*Invited paper*) 617

Oitmaa, J.
ICM'97 Forum on quantum spin liquids (*Forum report*) 620

Kimura, S., H. Ohta, M. Motokawa, T. Yokoo and J. Akimitsu
ESR study of Haldane system Y_2BaNiO_5 in submillimeter wave region 624

Katsumata, K., Z. Honda, H. Aruga Katori, T. Manabe, H. Shimizu and M. Yamashita
Field-induced long-range-ordering in the $S = 1$ quasi-one-dimensional Heisenberg antiferromagnet $Ni(C_5H_{14}N_2)_2N_3(ClO_4)$ 626

Fujiwara, N., H. Yasuoka, Y. Fujishiro, M. Azuma and M. Takano
Nuclear magnetic resonance in the ladder system $Sr(Zn_xCu_{1-x})_2O_3$ 628

Chiba, M., T. Kubo, M. Hagiwara, Y. Ajiro, T. Asano and T. Fukui
Nuclear spin–lattice relaxation in quantum spin gap of 1-D $S = 1$ and $S = \frac{1}{2}$ antiferromagnets 630

Hida, K.
Density matrix renormalization group study of random dimerized antiferromagnetic Heisenberg chain 632

Hosokoshi, Y., K. Takizawa, H. Nakano, T. Goto, M. Takahashi and K. Inoue
Construction of spin-$\frac{1}{2}$ Heisenberg ferromagnetic–antiferromagnetic alternating chains with various exchange couplings 634

Kaburagi, M. and T. Tonegawa
Excitation spectra of the spin-1 antiferromagnetic Heisenberg chain 636

Kadolkar, C.Y., N. Goveas, D.K. Ghosh and S. Murthy
Haldane gap in $S = 2$ XXZ quantum antiferromagnet 638

Asano, T., Y. Ajiro, M. Mekata, K. Kamishima, T. Goto, H. Aruga Katori and K. Katsumata
Magnetic phase diagram of $CsNi_{1-x}Fe_xCl_3$: magnetization and specific heat 640

Kouzuki, A., N. Maya, K. Kawasaki and K. Nakamura
Spin dynamics of spin-Peierls transition in quantum Heisenberg antiferromagnetic chain 643

Sato, R., K. Kindo, Y. Narumi and M. Hagiwara
Thermodynamics of the $S = 1$ quantum spin chains with bond alternation 645

Tonegawa, T., T. Hikihara, T. Nishino, M. Kaburagi, S. Miyashita and H.-J. Mikeska
One-dimensional Heisenberg antiferromagnet in which two $S = \frac{1}{2}$ and two $S = 1$ spins are arranged alternatively 647

Totsuka, K.
Non-classical magnetization process of quantum spin chains 650

Arioka, T., H. Ohta, S. Okubo, R. Kanno and N. Kitamura
ESR measurements of quasi-one-dimensional antiferromagnet Sr_3CuPtO_6 in millimeter wave region 653

Azuma, M., Y. Fujishiro, M. Takano, M. Nohara, H. Takagi, S. Ohsugi, Y. Kitaoka and R.S. Eccleston
Impurity effects on a two-leg spin ladder compound $SrCu_2O_3$ 655

Borovik-Romanov, A.S., S.V. Petrov, A.M. Tikhonov and B.S. Dumesh
Investigation of NMR in a quasi-one-dimensional antiferromagnet $CsMnBr_3$ 657

Coldea, R., D.A. Tennant, R.A. Cowley, D.F. McMorrow, B. Dorner and Z. Tylczynski
The phase diagram of a quasi-1D $S = \frac{1}{2}$ Heisenberg antiferromagnet 659

Ward, B.H., G.E. Granroth, D.R. Talham and M.W. Meisel
Magnetic properties of the antiferromagnetic $S = 1$ spin chain system $[Ni(C_4H_{12}N_2)_2(\mu\text{-}N_3)]_n(ClO_4)_n$ 661

Goto, T., S. Sato, K. Kitamura, N. Fujiwara, J.P. Renard and M.W. Meisel
Fractional spin effect in proton magnetic relaxation in Haldane gap system TMNIN 663

Harada, I., S. Mori and N. Ohtsuka
Dynamics of a dimerized quantum-spin chain with competing interactions 665

Hayashi, S., S. Kimura, H. Ohta, H. Kikuchi, H. Nagasawa, H. Nojiri and M. Motokawa
Submillimeter wave ESR of $S = 1$ antiferromagnetic Heisenberg chain system with bond alternation 667

Horvatić, M.Y., Fagot-Revurat, M.E. Hanson, C. Berthier, P. Ségransan, G. Dhalenne and A. Revcolevschi
NMR study of the $CuGeO_3$ spin-Peierls system 669

Isobe, M. and Y. Ueda
Doping effects in AV_2O_5 (A = Li, Na and Ca) 671

Ito, M., H. Yamashita, T. Kawae and K. Takeda
Pressure effect on the Haldane system NENP 673

Katoh, N. and M. Imada
Mechanisms of spin-gap formation due to orbital order for CaV_4O_9 675

Kokado, S. and N. Suzuki
Magnetic properties of $S = \frac{1}{2}$ AF–F alternating chains – Effect of interchain coupling 677

Kuroe, H., H. Seto, J. Sasaki, T. Sekine, N. Koide, Y. Sasago, K. Uchinokura, M. Hase, M. Isobe and Y. Ueda
Doping effects on the folded phonon mode in the spin-Peierls systems $CuGeO_3$ and α'-NaV_2O_5 679

Manaka, H. and I. Yamada
The Haldane-state realized in $(CH_3)_2CHNH_3CuCl_3$ Ferromagnetic–antiferromagnetic alternating Heisenberg chains with $S = \frac{1}{2}$ 681

Matsuda, M. and K. Katsumata
Magnetic properties of the quasi-one-dimensional compound $Ca_{2+x}Y_{2-x}Cu_5O_{10}$ 683

Narumi, Y., R. Sato, K. Kindo and M. Hagiwara
Magnetic property of an $S = 1$ antiferromagnetic dimer compound 685

Nojiri, H., T. Hamamoto, O. Fujita, J. Akimitsu, S. Takagi and M. Motokawa
ESR study of the field-induced magnetic phase of spin-Peierls $CuGeO_3$ and $MEM(TCNQ)_2$ 687

Sato, S., T. Goto, M. Yamashita and T. Ohishi
Nuclear magnetic relaxation of proton in an $S = 1$ Haldane gap linear chain system $Ni(C_5H_{14}N_2)_2N_3(ClO_4)$ 689

Sekine, T., H. Kuroe, J. Sasaki, K. Uchinokura and M. Hase
Raman scattering from magnetic excitations in Zn- and Si-doped $CuGeO_3$ 691

Shiramura, W., K. Takatsu, H. Tanaka, K. Takizawa, M. Takahashi, K. Kamishima, H. Mitamura and T. Goto
Ground state and energy gap of quantum double spin chain system: $KCuCl_3$ family 693

Sieling, M., T. Rieth, S. Schmidt, B. Lüthi and S.A. Zvyagin
Magnetic resonances in powder-samples of quasi-one-dimensional anisotropic $S = 1$ spin systems 695

Takatsu, K., W. Shiramura, H. Tanaka, T. Kambe, H. Nojiri and M. Motokawa
ESR of quantum double-spin-chain systems $KCuCl_3$ and $TlCuCl_3$ 697

Takehana, K., M. Oshikiri, T. Takamasu, M. Hase, G. Kido and K. Uchinokura
Magneto-optical measurements of $CuGeO_3$ in far-infrared region 699

Uemura, Y.J., B.D. Gaulin, M. Mekata, I. Mirebeau, S. Pouget and J.L. Tholence
Neutron spin echo studies of $SrCr_8Ga_4O_{19}$ 701

Yamada, I., M. Hidaka, M. Nishi and J. Akimitsu
A possible relationship between the newly found crystal structure of $CuGeO_3$ and its anomalous dependence of magnetic susceptibility and lattice parameters on temperature 703

Yamauchi, T. and Y. Ueda
Isostructural transition metal ortho-phosphates with linear chain of $S = 1/2$, 1 and 3/2 705

Ajiro, Y., T. Uchikawa, T. Asano and M. Mekata
New interpretation of ESR of the $S = \frac{1}{2}$ broken valence bond in Zn-doped NENP 707

Barra, A.L., A. Caneschi, D. Gatteschi and R. Sessoli
Very high field EPR study of a molecular nanomagnet 709

Szymczak, R., H. Szymczak, L. Leonyuk and G.-J. Babonas
Magnetic properties of the superconducting and non-superconducting spin ladders $(Sr,Ca)_{14}Cu_{24}O_{41}$ 711

Hosokoshi, Y., M. Takahashi, T. Goto and K. Inoue
Magnetic properties of spin-$\frac{1}{2}$ Heisenberg honeycomb lattice with ferromagnetic and antiferromagnetic interactions 713

Kurata, S., C. Sasaki and K. Kawasaki
Spin dynamics of the frustrated 2D quantum Heisenberg antiferromagnets 715

Nakano, H., Y. Hosokoshi and M. Takahashi
Spin-$\frac{1}{2}$ Heisenberg model with ferromagnetic and antiferromagnetic interactions on a honeycomb lattice 717

Chatterjee, I.
Magnetic properties of oxygen monolayers 719

Goossens, D.J. and T.J. Hicks
Investigation of the temperature/field/composition magnetic phase diagram of $Mn_{1-x}Mg_xPS_3$ 721

Inagaki, Y., N. Granito, T. Asano, Y. Ajiro and M. Mekata
Magnetic phase transitions in triangular lattice $CsNi_{0.98}Fe_{0.02}Cl_3$ studied by NMR 723

Ishizuka, M., M. Terai, S. Endo, M. Hidaka, I. Yamada and O. Shimomura
Pressure-induced magnetic phase transition in the two-dimensional Heisenberg ferromagnet K_2CuF_4 725

Kotov, V.N., J. Oitmaa and O. Sushkov
Local impurities in 2D quantum antiferromagnets 727

Matsuoka, Y., Y. Nishimura, S. Mitsudo, H. Nojiri, H. Komatsu, M. Motokawa, K. Kakurai, K. Nakajima, Y. Karasawa and N. Niimura
Metamagnetic transition in $Y_2Cu_2O_5$ 729

Mekata, M., M. Abdulla, T. Asano, H. Kikuchi, T. Goto, T. Morishita and H. Hori
Magnetic ordering in triangulated kagomé lattice compound, $Cu_9Cl_2(cpa)_6 \cdot nH_2O$ 731

Morkowski, J.A. and J. Loos
Magnon-assisted transport in 2D antiferromagnets 733

Ono, T., H. Tanaka, T. Kato, K. Iio, K. Nakajima and K. Kakurai
Phase transitions and critical phenomena of triangular antiferromagnetic system: $CsMn(Br_xI_{1-x})_3$ 735

Richter, J., A. Voigt, J. Schulenburg, N.B. Ivanov and R. Hayn
Magnetic model for $Ba_2Cu_3O_4Cl_2$ 737

Monod, P., A.A. Stepanov, V.A. Pashchenko, J.P. Vieren, G. Desgardin and J. Jegoudez
Paramagnetic and antiferromagnetic resonance of CuO 739

Ueda, Y. and M. Isobe
Magnetic properties of AV_2O_5 (A = Li, Na, Cs, Ca and Mg) 741

Weiden, M., R. Hauptmann, C. Geibel, M. Köppen, J. Müller, M. Lang, F. Steglich, N. Weiden, M. Fischer, P. Lemmens and G. Güntherodt
Magnetic and crystallographic investigations of the inorganic spin-Peierls system α'-NaV_2O_5 743

Akioka, K., H. Ohta, S. Okubo, K. Miyagawa and K. Kanoda
Submillimeter wave ESR measurements of two-dimensional organic antiferromagnet β'-(BEDT-TTF)$_2ICl_2$ 746

Pilawa, B., R. Desquiotz, M.T. Kelemen, M. Weickenmeier and A. Geisselmann
Magnetic properties of new Fe_6(triethanolaminate (3-))$_6$ spin-clusters 748

Yamaguchi, H., K. Katsumata, M. Steiner and H.-J. Mikeska
Specific-heat measurements on the quasi-one-dimensional magnet $(CH_3)_4NNiBr_3$ 750

Inami, T., S. Maegawa and M. Takano
Neutron-diffraction study on Na- and K-jarosites 752

Luke, G.M., Y. Fudamoto, M.J.P. Gingras, K.M. Kojima, M. Larkin, J. Merrin, B. Nachumi and Y.J. Uemura
Spin freezing and ordering in CaV_4O_9, CaV_3O_7 and CaV_2O_5 754

Part II

Chapter 10. Magnetic interactions and ordering; magnons, solitons and fluctuations

Harris, M.J., S.T. Bramwell, T. Zeiske, D.F. McMorrow and P.J.C. King
Magnetic structures of highly frustrated pyrochlores (*Invited paper*) 757

Okubo, S., M. Hayashi, H. Ohta, M. Motokawa, H. Kikuchi, H. Nagasawa and N. Kitamura
High-field magnetization measurement of $(Y_xNd_{1-x})_2BaNiO_5$ 763

Ikeuchi, Y., H. Ohta, S. Okubo, M. Motokawa and N. Kitamura
Submillimeter wave ESR of $Yb_2Cu_2O_5$ 765

Brück, E., T. van Streepen, H.G.M. Duijn, E.G. Haanappel, F.R. de Boer and K.H.J. Buschow
Magnetic and transport properties of $MnPtAl_{1-x}Ga_x$ compounds 767

Elliott, R.J., C. Heide and N.S. Wingreen
The RKKY interaction across a tunnelling junction out of equilibrium in relation to the spin current 769

Balcerzak, T.
A rigorous equation of state for magnetic systems 771

Muraoka, Y., M. Kanemaru and T. Idogaki
Ground-state phase diagram of A3NNI model with arbitrary spin quantum number 773

Rischel, C. and K. Lefmann
Magnetic order of $s = \frac{1}{2}$ spins on the FCC lattice at zero temperature calculated by exact diagonalization 775

Vogel, E.E. and J. Cartes
Discontinuities in $\pm J$ Ising lattices 777

Achu, E.W., H.J. Al-Kanani, J.G. Booth, M.M.R. Costa and B. Lebech
Studies of the incommensurate structures of B20 alloys 779

Cashion, J.D. and M.R. Wells
Magnetic interactions in $DyAlO_3$ and $TbAlO_3$ 781

Barra, A.-L., G. Chouteau, A. Stepanov and C. Delmas
High magnetic field spin resonance in nearly stoichiometric $LiNiO_2$: evidences for magnetic cluster formation 783

de Châtel, P.F., K. Prokeš, H. Nakotte, A. Purwanto, V. Sechovský, L. Havela, E. Brück, R.A. Robinson and F.R. de Boer
Anisotropic exchange interactions in UNiGe 785

Fisher, R.A., D.A. Wright, P. Radhakrishna, J.L. Luce, A.M. Stacy and N.E. Phillips
The specific heat of $LaCu_2O_4$ and $NdCu_2O_4$ in fields to 7 T 787

Jamali, J.B., N. Achiwa, K. Mukai, K. Suzuki, Y. Ajiro, K. Matsuda and H. Iwamura
Single-crystal weak ferromagnetism of 1,3,5-triphenyl-6-oxoverdazyl free radical and ferromagnetic behavior of $(TOV)_{1-x}(TOV\text{-}H)_x$ diluted system 789

Kockelmann, W., W. Schäfer, J.K. Yakinthos and P.A. Kotsanidis
Crossover from ferromagnetic $RCoC_2$ to antiferromagnetic $RNiC_2$ (R = rare earths) investigated on mixed $Tb(Co,Ni)C_2$ 792

Kawae, T., H. Sakita, M. Hitaka, K. Takeda, T. Sigeoka and N. Iwata
Magnetic phase diagram of $TbRu_2Si_2$ 795

Maletta, H. and G. Ehlers
Magnetic order with frustrated moments in TbNiAl 797

Merrin, J., Y. Fudamoto, K.M. Kojima, M. Larkin, G.M. Luke, B. Nachumi, Y.J. Uemura, S. Kondo and D.C. Johnston
Muon spin relaxation measurements of LiV_2O_4 799

Mito, M., T. Kawae, M. Takumi, K. Nagata, M. Tamura, M. Kinoshita and K. Takeda
Pressure effects of a genuine organic ferromagnet p-NPNN 801

Nieuwenhuys, G.J., S. Suellow, A.A. Menovsky, J.A. Mydosh, R.H. Heffner, L.P. Le, D.E. MacLaughlin, O.O. Bernal and A. Schenck
μ^+SR in the random bond spin glass URh_2Ge_2 803

Reehuis, M., N. Stüßer, A. Nientiedt, T. Ebel, W. Jeitschko and B. Ouladdiaf
Magnetic ordering in the ternary phosphides $Tb_2Fe_{12}P_7$, $Tb_2Co_{12}P_7$, $Tb_2Ni_{12}P_7$ and $Ho_2Ni_{12}P_7$ 805

Schäfer, W., W. Kockelmann, S. Fredo, I. Halevy and J. Gal
Neutron diffraction studies of ferrimagnetic RFe_6Al_6 (R = Tb, Ho, Er) intermetallics 808

Solovyev, I.V.
Effect of the orthorhombic distortion on the magneto-optical properties of $SrRuO_3$ 811

Stamps, R.L. and R.E. Camley
Frustration and finite size effects of magnetic dot arrays 813

Stüßer, N., Z. Zolnierek and X. Hu
Magnetic neutron powder diffraction on some $UCu_{2-x}Ga_{2+y}$ ternaries of the $ThCr_2Si_2$-type structure 815

Takeda, K., M. Mito, T. Kawae, H. Nakano, M. Hitaka, K. Suzuki and K. Mukai
Magnetism of some genuine organic radical crystals 817

Thang, C.V., N.H. Duc, M.M. Tan, N.P. Thuy, E. Brück, P.E. Brommer and J.J.M. Franse
Effects of Al substitution on intersublattice-exchange interaction in $GdCo_{5-x}Al_x$ 819

Tomka, G.J., Cz. Kapusta, C. Ritter and P.C. Riedi
Magnetic structure and properties of $NdMn_2Ge_2$ as a function of temperature and pressure 821

Bursill, R.J., T. Xiang and G.A. Gehring
Density matrix renormalisation group study of a one-dimensional quantum spin chain at non-zero temperature 823

Toda, M., T. Goto, M. Chiba and K. Adachi
NMR study of ^{133}Cs in a singlet-ground-state system $CsFeCl_3$ 825

Elmers, H.J., J. Hauschild and U. Gradmann
Magnetism of nanowires of Fe(1 1 0) on W(1 1 0) 827

Kubo, T., J. Miyakita and S. Maegawa
^{55}Mn NMR in triangular lattice Heisenberg antiferromagnet $CsMnI_3$ 829

Kato, T., T. Nishino, K. Morishita, H. Tanaka and K. Iio
Birefringence study of magnetic ordering in the distorted triangular lattice antiferromagnet $RbFeBr_3$ 831

Uyeda, M., T. Kubo, M. Chiba, Y. Ajiro and T. Asano
$^{79,81}Br$ NMR in triangular lattice antiferromagnet $CsCoBr_3$ 833

Jensen, M.R.F., S.A. Feiven, T.J. Parker and R.E. Camley
Far-infrared magneto-spectroscopy of bulk and surface magnetic excitations in FeF_2 835

Zadro, K.
Magnetic excitations in very dilute amorphous $Fe_xNi_{80-x}B_{18}Si_2$ ferromagnets 837

Bogner, J., M. Reissner, W. Steiner, X.C. Kou, R. Grössinger, R. Lorenz, J. Hafner and G. Wiesinger
Magnetic order in YFe_9Mo_3 839

Kubota, M., K. Kawasaki and S. Takeno
Stationary and moving self-localized modes in 2D square magnets with a hole 842

de Aguiar, F.M., S.M. Rezende and A. Azevedo
Spin-wave experiments: Simultaneous pumping revisited 844

Chapter 11. Colossal-magnetoresistance systems

Ibarra, M.R. and J.M. De Teresa
Colossal magnetoresistance in manganese oxide perovskites (*Invited paper*) 846

Maekawa, S.
Electronic structure in manganites (*Invited paper*) 850

Osthöver, C., P. Grünberg and R.R. Arons
Magnetic properties of doped $\{La_{0.67}Ba_{0.33}\}\{Mn_{1-y}A_y\}O_3$, A = Fe, Cr 854

Gordon, J.E., R.A. Fisher, Y.X. Jia, N.E. Phillips, S.F. Reklis, D.A. Wright and A. Zettl
Specific heat of $Nd_{(1-x)}Sr_xMnO_3$ 856

Hennion, M., F. Moussa, J. Rodriguez-Carvajal, L. Pinsard and A. Revcolevschi
New spin-wave branch induced by the hole doping in $La_{1-x}Ca_xMnO_3$ 858

Simopoulos, A., G. Kallias, E. Devlin, I. Panagiotopoulos and M. Pissas
Spin fluctuations in $La_{2/3}Ca_{1/3}MnO_3$ probed by ^{57}Fe and ^{119}Sn Mössbauer spectroscopy 860

Coombes, D.J. and G.A. Gehring
Perturbation produced on manganites by a metallic interface 862

Hirota, K., A. Nishizawa and Y. Endoh
Magnetic excitations of bandwidth-controlled Mn perovskite $(La_{1-x-y}Y_y)Sr_xMnO_3$ 864

Ramos, C.A., M.T. Causa, M. Tovar, X. Obradors and S. Piñol
Magnetization and FMR in $La_{0.7}Pb_{0.3}MnO_3$ single crystals 867

Arons, R.R.
Magnetic studies of the Ba–Tb–In-oxide, a new proton conductor with the simple perovskite-like structure 869

Demin, R.V., L.I. Koroleva and A.M. Balbashov
Anomalies of magnetostriction and thermal expansion in $La_{0.7}Sr_{0.3}MnO_3$ perovskite 871

Gehring, G.A. and D.J. Coombes
The theory of small polarons in manganite 873

Kobayashi, N., M. Isa, T. Nishizaki and M. Fujiwara
Electrical and magnetic properties of $La_{1-x}Ca_xMnO_3$ and $Pr_{1-x}Ca_xMnO_3$ thin films 875

Mitsudo, S., K. Hirano, H. Nojiri, M. Motokawa, K. Hirota, A. Nishizawa, N. Kaneko and Y. Endoh
Submillimeter wave ESR measurement of $LaMnO_3$ 877

Sawada, H., Y. Morikawa, N. Hamada and K. Terakura
Jahn–Teller distortion and magnetic structures in $LaMnO_3$ 879

Min, B.I., J.D. Lee and S.J. Youn
Lattice dynamics in colossal magnetoresistance manganites 881

Nakamura, S., K. Nanba and S. Iida
Possible giant magnetoresistance effect in $La_{1-x}A_xMnO_3$ (A: Li, Na) 884

Chapter 12. Magnetic recording and other applications

O'Grady, K., R.L. White and P.J. Grundy
Whither magnetic recording (*Forum report*) 886

Sollis, P.M., P.R. Bissell, T. Mercer, J.A. Gotaas and R.G. Gilson
Dispersion stability during the settling process 892

Chantrell, R.W., P.R. Bissell, P. Sollis, A. Hoare and Th. Orth
Deconvolution of anisotropy field distributions from transverse susceptibility measurements 894

King, J.P., J.N. Chapman and J.C.S. Kools
Magnetisation reversal mechanisms of FeMn-biased spin-valves as a function of interlayer coupling strength and field orientation 896

Overend, N., A. Nogaret, B.L. Gallagher, P.C. Main, M. Henini, R. Wirtz, R. Newbury, C.H. Marrows, M.A. Howson and S.P. Beaumont
Observation of giant magnetoresistances in hybrid semiconductor/ferromagnetic devices 898

Lee, J.-G., H.M. Lee, C.S. Kim and Y.-J. Oh
Magnetic properties of $CoFe_2O_4$ powders and thin films grown by a sol–gel method 900

Chang, C.R., I. Klik, Y.D. Yao and J.-S. Yang
Thermal effects in highly packed recording media 903

Lu, J.J. and H.L. Huang
Noise in the magnetic recording media 905

Kim, H.-S., Y.-W. Oh, J.-S. Song and B.-K. Min
The properties of Cu films for micromagnetic devices 907

Matsuo, A., R. Inutake, K. Shinagawa, T. Saito and T. Tsushima
Simulation of head–medium interaction in magnetic recording 909

Shima, T., A. Kamegawa, E. Aoyagi, Y. Hayasaka and H. Fujimori
Magnetic properties and structure of Nd–Fe–B thin films with Cr and Ti underlayers 911

Chang, H.S., K.H. Shin, T.D. Lee and J.K. Park
The magnetic properties and morphology of CoCrPtTa/Cr/AlN thin films 913

Chapter 13. Nanocrystalline systems and small particles

Martin, J.I., M. Velez, J. Nogues, A. Hoffmann, Y. Jaccard and I.K. Schuller
Pinning effects by arrays of magnetic dots on niobium film 915

Novotny, M.A., M. Kolesik and P.A. Rikvold
Magnetization switching in single-domain ferromagnets 917

Mitani, S., H. Fujimori and S. Ohnuma
Temperature dependence of tunnel-type GMR in insulating granular systems 919

Kaczmarek, W.A., B. Idzikowski and K.-H. Müller
XRD and VSM study of ball-milled $SrFe_{12}O_{19}$ powder 921

Bewley, R.I. and R. Cywinski
Superparamagnetic CuCo studied by μSR 923

Bødker, F., S. Mørup, M.S. Pedersen, P. Svedlindh, G.T. Jonsson, J.L. Garcia-Palacios and F.J. Lazaro
Superparamagnetic relaxation in α-Fe particles 925

Hansen, M.F., F. Bødker, S. Mørup, C. Djurberg and P. Svedlindh
Magnetic properties of non-interacting Fe–C nanoparticles 928

Ding, J., T. Tsuzuki and P.G. McCormick
Ultrafine $BaFe_{12}O_{19}$ powder synthesised by mechanochemical processing 931

Ding, J., W.F. Miao, E. Pirault, R. Street and P.G. McCormick
Structural evolution of $Fe + Fe_2O_3$ during mechanical milling 933

Señarís-Rodríguez, M.A., M.P. Breijo, S. Castro, J. Mira, R.D. Sánchez, J. Rivas and D. Fiorani
Comparison between magnetic and electrical properties of $La_{1-x}Sr_xCoO_3$ ($0 < x \leqslant 0.50$) particles obtained by different synthesis methods 935

Geoghegan, D.S., P.G. McCormick and R. Street
Anomalous magnetic viscosity in NiO/Ni 937

Del Bianco, L., A. Hernando, E. Navarro and E. Bonetti
Magnetic behaviour of nanocrystalline Fe 939

Idzikowski, B., J. Baszyński, I. Škorvánek, K.-H. Müller and D. Eckert
Microstructure and magnetic properties of amorphous and nanocrystalline $Fe_{80}M_7B_{12}Cu_1$ (M = Nb, Ti or Mo) alloys 941

Kechrakos, D. and K.N. Trohidou
Effects of dipolar interactions on the magnetic properties of granular solids 943

Madurga, V., R.J. Ortega, J. Vergara, S. Palacios, E. Azcoiti and K.V. Rao
Controlled anisotropic GMR in laser ablated Cu–Co thin films 945

Nunomura, N., T. Teranishi, M. Miyake, A. Oki, S. Yamada, N. Toshima and H. Hori
Magnetization of nano-fine particles of Pd/Ni alloys 947

Suzuki, K., G. Herzer and J.M. Cadogan
The effect of coherent uniaxial anisotropies on the grain-size dependence of coercivity in nanocrystalline soft magnetic alloys 949

Sugawara, T., K. Takanashi and H. Fujimori
Appearance of GMR on annealing in Cu–Co granular alloys with high Co concentration 951

Duffy, D.M., J.A. Blackman, P.A. Mulheran and S.A. Williams
Transition metal clusters on graphite 953

Schmool, D.S., J.S. Garitaonandia, P. Gorria and J.M. Barandiarán
Ferromagnetic resonance and Mössbauer studies of amorphous and nanocrystalline FeZrCuB at various stages in the crystallisation process 955

Sappey, R., E. Vincent, M. Ocio and J. Hammann
Low-temperature features of nano-particle dynamics 957

Hernando, A., P. Marín, M. Vázquez and G. Herzer
Thermal dependence of coercivity in magnetic nanostructures 959

Vernier, N. and G. Bellessa
Tunnelling of large magnetic moments in a single crystal 962

Ichiyanagi, Y. and Y. Kimishima
Magnetic properties of 2D Ising mesoscopic ferromagnet $Ni(OH)_2$ monolayer nanoclusters 964

Mamiya, H. and I. Nakatani
Dynamic study of iron-nitride fine particle system: field dependence of the blocking temperature 966

Kim, K.-S., S.-C. Yu, Y.-M. Moon and K.V. Rao
Magnetization study of glassy and nanocrystalline $Fe_{82}(Zr, Hf, Nb)_7B_{10}Cu_1$ alloys 968

Chapter 14. Permanent magnets

Schrefl, T. and J. Fidler
Modelling of exchange-spring permanent magnets (*Invited paper*) 970

Miao, W.F., J. Ding, P.G. McCormick and R. Street
Remanence-enhanced $Nd_8Fe_{87}M_1B_4$ (M = Fe, V, Si, Ga, Cr) alloys 976

Thompson, P., O. Gutfleisch, J.N. Chapman and I.R. Harris
Domain studies in thin sections of HDDR-processed Nd–Fe–B-type magnets by TEM 978

Bradbury, D.L., L. Folks and R. Street
Interpretation of low-coercivity tip response in MFM imaging 980

Girt, Er., Z. Altounian and D.H. Ryan
Fe-substitution in $Nd_2Fe_{17-\delta}X_\delta C_{0.3}$ (X = Al, Ti, V, W and $\delta = 0, 0.5$) 982

Blach, T.P. and E.MacA. Gray
Nitrogen-induced degradation of $Nd_2Fe_{14}B$ 985

Crew, D.C., P.G. McCormick and R. Street
Temperature dependence of the magnetic viscosity parameter 987

Sabiryanov, R.F. and S.S. Jaswal
Electronic structure and magnetic properties of hard/soft multilayers 989

Fujii, Y., T. Goto, K. Awaga, T. Okuno, Y. Sasaki and T. Mizusaki
Proton spin–lattice relaxation in *m*-MPYNN$^+ \cdot$X$^-$ (X = ClO_4, BF_4) at ultra low temperatures 991

Kim, C.S., S.W. Lee, S.Y. An and S.I. Park
Mössbauer studies of $NdFe_{10.7}Ti_{1.3}N_\delta$ 993

Courtois, D., Y. Amako, D. Givord, J.M. Cadogan and H.S. Li
Magnetic properties of single crystal $Y_3(Fe_{0.93}V_{0.07})_{29}$ 995

Uehara, M., T.J. Konno, H. Kanekiyo, S. Hirosawa, K. Sumiyama and K. Suzuki
Effect of Cr doping on crystallization behavior of $Fe_3B/Nd_2Fe_{14}B$ nanocomposite permanent magnets 997

Mukhopadhyay, S.C., M. Iwahara, S. Yamada and F.P. Dawson
Design and performance analysis by means of Tableau approach of passive fault-current limiter using steel core 999

Chapter 15. Rare-earth elements, alloys and compounds

Kou, X.C., F.R. de Boer, R. Grössinger, G. Wiesinger, H. Suzuki, H. Kitazawa, T. Takamasu and G. Kido
Magnetic anisotropy and magnetic phase transitions in R_2Fe_{17} with R = Y, Ce, Pr, Nd, Sm, Gd, Tb, Dy, Ho, Er, Tm and Lu (*Invited paper*) 1002

Nagasima, T., A. Oguri and H. Ishii
s–f exchange interaction and RKKY interaction in Pr intermetallic compounds 1008

Ohgaki, H., A. Oguri and H. Ishii
Effect of Coulomb interaction on superconductivity for Van Vleck metals 1010

Cowley, R.A., C. Bryn-Jacobsen, J.A. Simpson, D.F. McMorrow, R.C.C. Ward and M.R. Wells
The unusual phase diagram of the magnetic structures of holmium-erbium alloys 1012

Parnell, S.R., C.M. Lim, R.S. Eccleston, S.B. Palmer, M. Salgueiro da Silva, J.M. Moreira, J.B. Sousa and G.J. McIntyre
Commensurate magnetic structures in $Er_{91.6\%}Tm_{8.4\%}$ 1014

Lindgård, P.-A.
Flat, distorted spiral structure in praseodymium and neodymium 1016

Kawano, S., T. Itoi, T. Hirooka and N. Yamamoto
Magnetic structures and magnetic phase diagram of Er–Y alloy single crystals 1019

Minami, M. and A. Masuda
Approximate estimation method of the degree of lanthanide tetrad effect and application to the tetrad effects in lanthanide ionic radii 1021

Palmer, S.B., G.J. McIntyre, A.V. Andrianov and R.J. Melville
The *c*/*a* ratio of helical magnetic structures in rare-earth materials 1023

Pittini, R. and P. Wachter
A new spectroscopic determination of empty f levels 1025

Takahashi, T., H. Kumigashira, H.-D. Kim, A. Ashihara, A. Chainani, T. Yokoya, A. Uesawa and T. Suzuki
Magnetic phase transition of CeSb studied by high-resolution angle-resolved photoemission 1027

Matsuyama, H., K. Fukui, H. Maruyama, I. Harada and A. Kotani
Magnetic circular X-ray dichroism at the rare-earth $L_{2,3}$ edges 1029

Hsu, L.-S., K.-L. Tsang and S.-C. Chung
Resonant photoemission and photoabsorption at the Ni $L_{2,3}$ edges of NiGa and Ni_3Ga 1031

Kang, J.-S., S.K. Kwon and B.I. Min
Valence band photoemission study of Co_xPd_{100-x} alloy films 1033

Kumigashira, H., H.-D. Kim, T. Takahashi, O. Sakai, M. Kasaya, O. Tjernberg, G. Chiaia, L. Duò and I. Lindau
Surface and bulk 4f electronic structure of $CeIn_3$ and $CeSn_3$ 1035

Takahashi, M. and J. Igarashi
Local approach to electronic state of CuO 1037

Jenkins, A.C. and P. Strange
Applications of the SPRKKR-CPA to the calculation of magnetic X-ray circular dichroism spectra in transition-metal alloys 1039

Reynolds, N.L., S.J. Collocott and J.B. Dunlop
Preparation and magnetic properties of ternary neodymium–iron–rhenium intermetallic compounds 1042

Giovanelli, L., O. Moze, W.A. Kockelmann, C.H. de Groot, F.R. de Boer and K.H.J. Buschow
Neutron diffraction and magnetization investigation of $Tb_2Co_{17-x}Ga_x$ intermetallics 1044

Schoenes, J., P. Repond, F. Hulliger, S.P. Lim and B.R. Cooper
Optical properties of DyP and DyBi: Experiment and theory 1046

Alonso, J.A., J.X. Boucherle, F. Givord, J. Schweizer, B. Gillon and P. Lejay
Evidence for 5d anisotropic negative polarization along the Ce chains in $CeRh_3B_2$ 1048

Loewenhaupt, M., Th. Reif, W. Hahn and B. Frick
Magnetic excitation spectra of $NdCu_2$ 1050

Javorský, P., V. Sechovský, L. Havela and H. Michor
Magnetic behaviour of PrCuAl and NdCuAl 1052

Prandolini, M.J., W.D. Hutchison, D.H. Chaplin, G.J. Bowden and B. Bleaney
NMR thermally detected by nuclear orientation (NMR-TDNO) of ^{171}Yb in antiferromagnetic $YbVO_4$ 1054

Wang, F., Bao-gen Shen, H. Gong, X. Sun, Panlin Zhang and Q. Yan
An X-ray diffraction and magnetic study of $Pr_6Fe_{13}Si$ 1056

Chattopadhyay, T., K.D. Liss and T. Brückel
Incommensurate–commensurate lock-in phase transition in $EuAs_3$ 1058

Adachi, Y., K. Noami, K. Yabe, K. Ueda, M. Endo, Q.F. Lu, I. Umehara, K. Mori and K. Sato
Thermal conductivity of intermetallic compound NdNi 1061

Andoh, Y., M. Kurisu, S. Kawano and I. Oguro
Magnetic properties and magnetic anisotropy of RNiSn (R = Gd, Ho and Er) single crystals 1063

Barthem, V.M.T.S., E.A. Moreira da Gama and A.Y. Takeuchi
The magnetism of $Tb(Ni_{1-x}Cu_x)_5$ compounds 1065

Burkov, A.T., T. Nakama, T. Kohama, T. Shimoji, K. Shintani, R. Shimabukuro and K. Yagasaki
The effect of magnetic field and Al content on resistivity and thermopower of $Y(Al_xCo_{1-x})_2$ alloys 1067

Burkov, A.T., T. Nakama, T. Kohama, T. Shimoji, K. Shintani, R. Shimabukuro, K. Yagasaki and E. Gratz
Contribution of spin fluctuations to the low-temperature resistivity and thermopower of YCo_2 1069

Rösch, P., J. Weizenecker, M.T. Kelemen, J. Ruf, C. Zobel and E. Dormann
NMR and magnetization of rare-earth compounds 1071

Ebisu, S., T. Sogabe, H. Morita and S. Nagata
Magnetic behavior in defect-perovskites RTa_3O_9 (R = Nd, Eu and Ho) 1073

Endo, S., S. Nakaike, M. Ishizuka and F. Ono
High-pressure synthesis and magnetic properties of C14–$TbMn_2$ 1075

Gratz, E. and A. Lindbaum
Anomalous thermal expansion in Gd-based intermetallics 1077

Ito, T., S. Nishigori, I. Hiromitsu and M. Kurisu
Magnetization process in antiferromagnetic EuPdIn 1079

Takeuchi, T., J. Kohyama, S. Kawarazaki, M. Sato and Y. Miyako
In-plane magnetic anisotropy in $ErRu_2Si_2$ 1081

Cottenier, S., J. Meersschaut, S. Demuynck, B. Swinnen, M. Rots, K. Krop, J. Marzec, J. Żukrowski, J. Przewoźnik and E. Japa
Mixed phase in cubic and hexagonal $HoMn_2$ ^{111}Cd PAC and ^{119}Sn, ^{57}Fe Mössbauer studies 1083

Morellon, L., Z. Arnold, J. Kamarád, M.R. Ibarra and P.A. Algarabel
The magnetic phase transitions and related volume changes in $(Nd_{1-x}Tb_x)Mn_2Ge_2$ compounds 1085

Nishimura, K., M. Yamatoto and K. Mori
Magnetic and thermal properties of RAu_2Ge_2 1087

Oki, A., H. Hori, N. Nunomura, M. Kurisu, M. Furusawa, S. Yamada, Y. Andoh, S. Mitsudo, M. Motokawa and K. Kindo
Magnetoresistance and magnetization measurements in magnetically ordered GdNiSn 1089

de Oliveira, A.L., M.V. Tovar Costa, N.A. de Oliveira and A. Troper
Systematics of magnetic hyperfine fields at diluted impurities in ferromagnetic rare-earth compounds GdX (X = Zn and Cd): A theoretical study 1091

Shigeoka, T., M. Nishi and K. Kakurai
Neutron diffraction study of metamagnetism on $TbCo_2Ge_2$ single crystal 1093

Strecker, M., P. Hettkamp, G. Wortmann and G. Stewart
^{155}Gd Mössbauer study of Gd_2BaCuO_5 1095

Takahashi, K., H. Nojiri, K. Ohoyama, M. Ohashi, Y. Yamaguchi, M. Motokawa and S. Kunii
Neutron-scattering study of DyB_6 1097

Thang, P.D., N.P. Thuy, L.V.D. Khuong, C.V. Thang, J.J.M. Franse and S. Sinnema
The temperature dependence of the magnetization in the basal plane of R–T single crystals 1099

Umehara, M.
Anomalous dense conduction electron states and magnetism in Eu-rich EuSe 1101

Campbell, S.J., H. Zhang, H.-S. Li and E. Wu
Magnetic behaviour of $Nd_3Co_{29}Si_4B_{10}$ 1103

Hamasaki, T., F.M. Mulder and P.M. Paulus
NMR study of $GdGa_{2-x}Al_x$ 1105

Duc, N.H., M.M. Tan, N.D. Tan, D. Givord and J. Teillet
Role of the early transition elements on the intersublattice exchange coupling in the rare-earth-iron intermetallics 1107

Chen, Z., G.C. Hadjipanayis, M. Daniel, M. Digas, A. Moukarika and V. Papaefthymiou
Effects of substitutions M on the formation, structure and magnetic properties of $Sm_2Fe_{15}M_2C_2$ (M = V, Cr, Ti, Nb, Zr, Mn and Mo) compounds 1109

Hillier, A.D., J.R. Stewart, M.T.F. Telling, R.I. Bewley, Z.-P. Han, S.L. Lee and R. Cywinski
A μSR study of anomalous rare-earth spin dynamics in RNi_2B_2C (R = Er, Tb) 1111

Ichinose, K., N. Watanabe, K. Shimizu and H. Ido
NMR study of RCo_3B_2 (R = Y, Sm) 1113

Jin, Z., W. Tang, H. Qin, J. Zhang and Y. Du
Evaluation of exchange interactions in $(Gd_xY_{1-x})_3Co_{11}B_4$ compounds 1115

Kadomatsu, H., Y. Itoh, H. Fukuda, T. Tsutaoka and T. Tokunaga
Transport properties of Nd_7Ni_3 1117

Kamimori, T., K. Koyama, Y. Mori, M. Asano, K. Kinoshita, J. Mochimaru, K. Konishi and H. Tange
Preferential site occupation of M atoms and the Curie temperature in $Y_2Fe_{17-x}M_x$ (M = Al, Si, Ga) 1119

Kapusta, Cz., I.S. Oliveira, P.C. Riedi, E. Gratz, G. Wiesinger, H. Figiel and A.P. Guimarães
A nuclear magnetic resonance study of $SmCo_2$ 1121

Kim, W.T., S.C. Yu and S.H. Lim
Microstructure and magnetic properties of melt-spun $(Tb_{0.33}Fe_{0.67})_{1-x}B_x$ alloys 1123

de Jesus, V.L.B., V.M.T.S. Barthem, I.S. Oliveira and A.P. Guimarães
NMR study of Gd–Ni intermetallic compounds 1125

Maruyama, F., H. Nagai, Y. Amako, H. Yoshie and K. Adachi
NMR study of 2–17 cobalt-based intermetallic compounds with samarium 1128

Nagai, H., T. Yokoyama, S. Katsuyama, Y. Amako, H. Yoshie and K. Adachi
The anomalous behaviour of the electrical resistivities of $Gd(Fe,Mn)_2$ and $Gd_6(Fe,Mn)_{23}$ 1131

Baranov, N.V., P.E. Markin, H. Nakotte and A. Lacerda
Magnetic and transport properties of Tb_3Co studied on single crystals 1133

Nam, D.N.H., L.D. Tung, P. Nordblad, N.P. Thuy and N.X. Phuc
Magnetic anomalies of polycrystalline $La_2Co_{1.7}$ compound in the temperature range 5–400 K 1135

Ohkubo, N., K. Itoh, S. Ban and K. Kanematsu
Mössbauer studies on effects of Be for magnetic properties of rare-earth intermetallic compounds $R_2Fe_{17}Be$ 1137

Shimizu, K., F. Ogasawara and K. Ichinose
NMR study of electric hyperfine interaction of rare earth in $RFe_{11}Ti$ (R = Nd, Sm, Tb, Dy, Er and Lu) 1139

Tsutaoka, T., H. Fukuda, T. Tokunaga and H. Kadomatsu
Magnetic-phase transitions in Nd_7Ni_3 1141

Umehara, I., M. Endo, A. Matsuda, S. Fujimori, Y. Adachi, Y. Isikawa and K. Sato
Crystalline electric field effect in single crystalline HoNi 1143

Urakabe, T., T. Yamashita, T. Saito, K. Shinagawa and T. Tsushima
Spin reorientation and magnetic anisotropy in $(Er_{1-x}Yb_x)_2Fe_{15}Al_2$ 1145

Janssen, Y., E. Brück, C.H. de Groot, F.E. Kayzel, F.R. de Boer, K.H.J. Buschow, O. Oleksyn and P. Schobinger-Papamantellos
Low-temperature magnetisation and specific heat in antiferromagnetic rare-earth germanides of the type R_3Ge_4 1147

Gubbens, P.C.M., R. van Geemert and K.H.J. Buschow
Magnetic behaviour of the quasi-ground-state doublet in TmCuAl 1149

Ohsumi, H. and K. Tajima
Effect of magnetic structures on crystal lattice in holmium 1151

Rustom, A., A.D. Hillier and R. Cywinski
De Gennes scaling in $Er_{1-x}Tb_xNi_2B_2C$ superconductors 1153

Chapter 16. Superlattices

Cowley, R.A.
The coherence of the magnetic structures of rare-earth superlattices (*Invited paper*) 1156

Ciria, M., J.I. Arnaudas, A. del Moral, C. de la Fuente, R.C.C. Ward and M.R. Wells
Epitaxial-strain effect on basal-plane magnetoelastic stress of Ho/Y superlattices 1162

Hase, T.P.A., I. Pape, B.K. Tanner, H. Laidler, P. Ryan and B.J. Hickey
The relation of structure to giant magnetoresistance in Co/Cu multilayers 1164

Schep, K.M., J.B.A.N. van Hoof, P.J. Kelly, G.E.W. Bauer and J.E. Inglesfield
Theory of interface resistances 1166

Shevchenko, P., L. Świerkowski and J. Oitmaa
Interlayer coupling in magnetic semiconductor multilayers 1168

Almeida, B.G., V.S. Amaral, J.B. Sousa, J. Colino and I.K. Schuller
Temperature dependence of the magnetic interlayer coupling in Fe/Cr multilayers 1170

Fujiwara, Y., T. Masaki, X.Y. Yu, S. Tsunashima and S. Iwata
Simulation of structural anisotropy in rare-earth transition metal multilayers 1173

Nakata, Y., M. Yoshikawa and Y. Hirotsu
Band calculations of artificially ordered $L1_0$ type alloys 1175

Azevedo, A., C. Chesman, M. Lucena, F.M. de Aguiar, S.M. Rezende and S.S.P. Parkin
Biquadratic coupling dependence on spacer layer thickness for Fe/Cr/Fe 1177

Ge, S.-H., Z.-Z. Zhang, W.-J. Ku, K. Westerholt, Th. Muhge, H. Zabel, M.-L. Yan, W.-Y. Lai and R.-J. Gan
Influence of structural quality on GMR in Fe/Mo multilayers 1179

Tatnall, C.J., D.E. Joyce, P.J. Grundy, J.-P. Schille and G. van der Laan
Anisotropy, orbital moments and microstructure in Co/Pt multilayer films 1181

Jedryka, E., M. Wojcik, S. Nadolski, D.J. Kubinski and H. Holloway
Discontinuous Co layer in Co/Cu multilayers at the first antiferromagnetic maximum 1183

Kawaguchi, K., M. Sohma, Y. Oosawa and T. Manago
^{151}Eu and ^{57}Fe Mössbauer and magnetization study on EuO_x/Fe multilayered films 1186

Kreines, N.M., A.N. Kolmogorov and V.F. Mescheriakov
FMR studies of magnetic ordering structure in Fe/Cr superlattices 1189

Manago, T., H. Miyajima, K. Kawaguchi, M. Sohma and I. Yamaguchi
Structural and magnetic properties of NiO/Pd multilayers 1191

Ohkoshi, M., S. Yamamoto and M. Tanahara
Structure and magnetic properties in Co/Cu multilayers with less than monolayer growth 1193

Rhyne, J.J., J. Lin, J.K. Furdyna and T.M. Giebultowicz
Anomalous antiferromagnetic coupling in [ZnTe | MnTe] superlattices 1195

Sato, H. and T. Miyazaki
Magneto-optical spectra in Co/MgO multilayers 1197

Takanashi, K., S. Mitani, H. Fujimori, K. Sato and Y. Suzuki
Magnetooptical Kerr effect in Fe/Au superlattices modulated by integer atomic layers 1199

Hutchings, J.A., M.F. Thomas, G. Sinclair and P.J. Grundy
Mössbauer investigation of anisotropy in Fe/Cu/NiFe multilayers 1201

Yu, X.Y., A. Sugie, Y. Fujiwara, S. Iwata and S. Tsunashima
Dependence of magneto-optical effect of NdGd/FeCo multilayers on bilayer periods 1203

Ustinov, V.V., A.B. Rinkevich, L.N. Romashev and V.I. Minin
Correlation between microwave transmission and giant magnetoresistance in Fe/Cr superlattices 1205

Yamazaki, H., Y. Tanaka and K. Katsumata
Competing magnetic anisotropies in Er/Tb multilayers 1207

Du, J., M. Lu, L.N. Tong, W. Ji, H.R. Zhai and H. Xia
Structure and magnetic properties of Co/V multilayers 1209

Tong, L.N., M. Lu, J. Du, W. Ji, H.W. Zhao, K. Xia, B. You and H.R. Zhai
The magnetic properties of Co/Pb multilayers 1211

Rezende, S.M., C. Chesman, M.A. Lucena, A. Azevedo, F.M. de Aguiar and S.S.P. Parkin
Brillouin light scattering and ferromagnetic resonance in trilayers with bilinear and biquadratic exchange coupling 1213

Chapter 17. Surfaces and films

Wu, R.Q., L.J. Chen, A. Shick and A.J. Freeman
First-principles determinations of magneto-crystalline anisotropy and magnetostriction in bulk and thin-film transition metals (*Invited paper*) 1216

May, F., P. Srivastava, M. Farle, U. Bovensiepen, H. Wende, R. Chauvistré and K. Baberschke
Element-specific Curie temperatures of Ni/Cu/Co trilayers 1220

Shick, A.B., D.L. Novikov and A.J. Freeman
Relativistic theory of magnetoelastic coupling and magnetic surface anisotropy: Co/Cu(0 0 1) 1223

Poulopoulos, P., M. Farle, U. Bovensiepen and K. Baberschke
Evidence for domain formation in ultrathin Ni/Cu(0 0 1) films near the Curie temperature 1225

Pignard, S., H. Vincent, J.P. Sénateur and J. Pierre
GMR thin films deposited by a new MOCVD-injection method. Preparation, transport properties and magnetic behaviour of self-doped lanthanum manganites $La_{1-x}MnO_{3-\delta}$ ($0 \leqslant x \leqslant 0.3$) 1227

Caballero, J.A., W.J. Geerts, F. Petroff, J.-U. Thiele, D. Weller and J.R. Childress
Magnetic and magneto-optical properties of NiMnSb thin films 1229

Watanabe, M., M. Homma and T. Masumoto
Perpendicularly magnetized Fe–Pt (0 0 1) thin films with $(B \cdot H)_{max}$ exceeding 30 MG Oe 1231

Asada, T. and S. Blügel
Prediction of magnetic structures of ultra-thin Fe films on Cu(1 0 0): Successful understanding of experimental findings 1233

Ambrose, T., R.L. Sommer and C.L. Chien
New features of exchange coupling in FM/AF bilayers 1235

Clemens, D., A. Vananti, C. Terrier, P. Böni, M. Senthil Kumar and M. Horisberger
Stress-induced anisotropy in $Fe_{0.50}Co_{0.48}V_{0.02}$ coatings for neutron beam polarization 1237

Ebels, U., P.E. Wigen and K. Ounadjela
Domain FMR in epitaxial Co(0 0 0 1) films with stripe domains 1239

Gouteff, P.C., L. Folks and R. Street
MFM study of NdFeB and NdFeB/Fe/NdFeB thin films 1241

Hirohata, A., T. Ono and H. Miyajima
Magnetic properties of martensite in Fe–Ni alloy measured by means of scanning probe microscopy 1243

Ide, Y., T. Goto, K. Kikuchi, K. Watanabe, J. Onagawa, H. Yoshida and J.M. Cadogan
Ultrahigh coercive force in epitaxial Fe–Pt(0 0 1) films 1245

Jakob, G., F. Martin, W. Westerburg and H. Adrian
Magnetoresistivity and crystal structure of epitaxial $La_{0.67}Ca_{0.33}MnO_3$ films 1247

Kakuno, K., K. Takashina, S. Masuda, Y. Takemura and T. Yamada
Extraordinary MR effect induced in a non-magnetic metal layer formed on a surface of ferromagnetic metal layers 1249

Katayama, T., N. Nakajima, N. Okusawa, Y. Miyauchi, T. Koide, T. Shidara, Y. Suzuki and S. Yuasa
Magneto-optical Kerr spectra of epitaxially grown Fe (0 0 1) and (1 1 0) films in the range 1.5–10 eV 1251

Lauhoff, G., J. Lee, J.A.C. Bland, J.Ph. Schillé and G. van der Laan
Ferromagnetic coupling and anisotropy in epitaxial Cu/Co/Ni/Cu (0 0 1) 1253

Chang, C.S., L.H. Cho, J.I. Lee, S.C. Hong, R. Wu and A.J. Freeman
Possible magnetism of Rh as an overlayer on Cu(0 0 1): A first-principles study 1255

Lo, C.K., I. Klik, Y. Liou, C.P. Chang, C.S. Yang and Y.D. Yao
Magnetic hysteresis and planar Hall effect of Co films 1257

Gubbiotti, G., G. Carlotti, F. D'Orazio, F. Lucari, R. Bernardini and M. De Crescenzi
Magnetic anisotropy in epitaxial Cu/Ni/Cu/Si(1 1 1) ultrathin films studied by magneto-optical Kerr effect and Brillouin spectroscopy 1259

Macedo, W.A.A., F. Sirotti, A. Schatz, D. Guarisco, G. Panaccione and G. Rossi
Magnetic linear dichroism in photoemission from Fe on $Cu_{84}Al_{16}$(1 0 0) and Cu_3Au(1 0 0) 1262

Maksymowicz, L.J., M. Lubecka and R. Jabłoński
Contribution of the close-to-surface grad(M) to the surface magnetic anisotropy energy in thin films of $CdCr_{2-2x}In_{2x}Se_4$ 1265

Mibu, K., T. Nagahama, T. Ono and T. Shinjo
Magnetoresistance of quasi-Bloch-wall induced in NiFe/CoSm exchange-spring bilayers 1267

Neuweiler, A. and H. Kronmüller
Magnetization processes in amorphous and nanocrystalline FeCuNbSiB thin films 1269

Nozaki, Y., T. Ono, K. Motohashi, H. Miyajima and T. Kinoshita
Magnetization reversal process in micron-size ferromagnetic Co line array 1271

Oikawa, S., A. Shibata, S. Iwata and S. Tsunashima
Crystal structure and magnetic properties of Rh/Co/Rh sandwiches 1273

Rennert, P., Y. Kucherenko and L. Niebergall
Calculation of angle-resolved Auger electron diffraction spectra to investigate the surface magnetism of Fe(0 0 1) 1275

Souche, Y., V. Novosad, B. Pannetier and O. Geoffroy
Magneto-optical diffraction and transverse Kerr effect 1277

Stamm, C., Ch. Würsch, S. Egger and D. Pescia
Amplification of the short-wavelength oscillations in exchange coupled Co-films by low-temperature deposition 1279

McDonnell, M., R. Street, R.C. Woodward and J.N. Chapman
Magnetisation of thin films under oblique field conditions 1281

Tezuka, N. and T. Miyazaki
Barrier height dependence of MR ratio in Fe/Al-oxide/Fe junctions 1283

Wang, H.Y., E.Y. Jiang and P. Wu
Enhancement of the thermal stability of $Fe_{16}N_2$ by Ti addition 1285

Jackson, M., G. Short, T. Mendus, S.M. Thompson, E. Ho and J.S.S. Whiting
Microwave spectroscopic studies of obliquely deposited Co/Cr trilayers 1287

Yang, W., Z.S. Jiang, J.H. Cai, Y.W. Du, R.J. Zhang, S.M. Zhou and L.Y. Chen
Magneto-optical Kerr effect in Co–Ag granular films 1289

Yao, Z.-Y., H. Jiang, Z.-K. Liu, D.-D. Huang and Fu-Guang Qin, S.-C. and Zhu and Y.-X. Sun
Formation and magnetic properties of $Fe_{16}N_2$ films prepared by ion-beam-assisted deposition 1291

Prados, C., D.V. Dimitrov, G.C. Hadjipanayis and A. Hernando
Effect of Co impurity layers on the AMR enhancement of Ni thin films 1293

Yuasa, S., T. Katayama, K. Murata, M. Usukura and Y. Suzuki
Epitaxial growth and magnetic properties of B2-type ordered FeRh alloys 1296

Sander, D., A. Enders, C. Schmidthals, D. Reuter and J. Kirschner
Stranski–Krastanov layers of Fe on W(1 1 0): A combined MOKE, LEED, SAM and stress measurement investigation 1299

Kim, C.G., H.C. Kim, D.G. Hwang, S.S. Lee and C.M. Park
Current aging effect on anisotropic magnetoresistance in NiO spin valves 1301

Chui, S.T. and V.N. Ryzhov
Solitons and edge domains in multilayers 1303

Baczewski, L.T., R. Kalinowski and A. Wawro
Magnetization and anisotropy in Fe/Gd multilayers 1305

Dimitrov, D., C. Prados, C.Y. Ni, G.C. Hadjipanayis, V. Papaefthymiou, A. Simopoulos and C.P. Swann
Size effects in the stoichiometry and magnetic properties of Fe–O/Ag multilayers 1308

Ichimura, M. and A. Sakuma
Magnetic and electronic structures of finite-size systems of Fe/Au(n) 1311

Kang, S.S., G.J. Jin, X.S. Wu, M. Lu, A. Hu, S.S. Jiang and H.R. Zhai
Ferromagnetic-resonance studies of Ni/Cr multilayers 1313

Zheng, W.M., S.M. Zhou, Y. Wang, W.R. Zhu, R.J. Zhang, Y.X. Zheng, L.Y. Chen, A. Hu and H.R. Zhai
Oscillation effects in the magnetic and optical properties of Co–Al/Cu multilayers 1315

Furusawa, M., Y. Seino, T. Mitani and H. Hori
Magnetoresistance and magnetization of EuTe/Ni composite thin film 1317

Takemura, Y., N. Honda, T. Takahashi, H. Suto and K. Kakuno
Isotropic magnetization in FeSe thin films on GaAs substrate 1319

Zhou, Y.-M., W.-T. Geng and D.-S. Wang
Magnetism of Fe/Cu(0 0 1) superlattices with ideal face-centered cubic and volume enlarged tetragonal structures 1321

Chapter 18. Transition-metal alloys and compounds

Barbara, B., L. Thomas, F. Lionti, A. Sulpice and A. Caneschi
Quantum resonance of the magnetisation in a single-crystal of Mn_{12}-ac (*Invited paper*) 1324

Caneschi, A., T. Ohm, C. Paulsen, D. Rovai, C. Sangregorio and R. Sessoli
Quantum tunneling of the magnetic moment in manganese and iron molecular clusters (*Invited paper*) 1330

Tsunoda, Y.
Incommensurate magnetic structures in transition-metal alloys (*Invited paper*) 1337

Endoh, Y. and T. Fukuda
Low- and high-energy excitations in the incommensurate antiferromagnet, chromium (*Invited paper*) 1343

Shiga, M., H. Imai and H. Wada
Calorimetric study on sulfur-deficient ferromagnetic $BaVS_3$ 1347

Hiraka, H., Y. Endoh and K. Yamada
Inelastic magnetic neutron scattering from a metallic ferromagnet CoS_2 1349

Ersez, T., G.T. Etheridge and T.J. Hicks
Investigations of magnetic anisotropy in the complex low-temperature phase in Fe_2MnSi 1351

Chaplin, D.H., W.D. Hutchison, M.J. Prandolini and G.J. Bowden
Accurate measurements of electric quadrupole hyperfine interactions of very dilute spins in magnetic solids 1353

Ishiguro, A., A. Sawada, M. Suzuki, H. Hiraka, K. Yamada, Y. Endoh and T. Komatsubara
De Haas–van Alphen effect in CoS_2 1355

Kitagawa, I. and N. Suzuki
First-principles calculations of magnetocrystalline anisotropy and orbital moments in YCo_4B 1357

Klotz, T. and S. Kobe
Geometry of ground-state clusters in the configuration space of finite 3d $\pm J$ spin glasses 1359

Maki, K., T. Kaneko, H. Hiroyoshi and K. Kamigaki
Crystalline and magnetic properties of MnAs under pressure 1361

Tang, J., T. Matsumoto, T. Furubayashi, T. Kosaka, S. Nagata and Y. Kato
Metal–insulator transition of $CuIr_2(S,Se)_4$ under high pressure 1363

Matsuura, M., H. Hiraka, H. Kimura, T. Takahashi, K. Yamada and Y. Endoh
Metal–insulator transition and antiferromagnetism in $NiS_{2-x}Se_x$ 1365

Miyazaki, S., M. Shirai and N. Suzuki
Electronic band structure of antiferromagnetic spinel Co_3S_4 1367

Nakama, T., T. Kohama, T. Shimoji, Y. Uwatoko, T. Ohki, H. Fujii, A.T. Burkov, H. Niki and K. Yagasaki
Thermopower of Fe_2P in magnetic fields up to 15 T 1369

Ohta, H., T. Arioka, E. Kulatov, S. Mitsudo and M. Motokawa
Magnetoresistance measurements of $Fe_xCo_{1-x}Si$ 1371

Okubo, S., S. Kimura, H. Ohta and M. Itoh
ESR study of Mott–Hubbard insulators $YTiO_3$ and $LaTiO_3$ in submillimeter wave region 1373

Okuda, K., S. Kawamata, K. Nakahigashi, H. Ishibashi, M. Hayashi, H. Ohta, H. Nojiri and M. Motokawa
Magnetic and electronic state of Co in $LaCoO_3$ 1375

Pasternak, M.P., M. Amanowicz, A.P. Milner, G.Kh. Rozenberg, R.D. Taylor, G.R. Hearne and K.E. Brister
High-pressure p–p band closure of the negative-Δ Sr_2FeO_4 perovskite 1377

Sato, K., H. Ikekame, M. Akita and Y. Morishita
Magneto-optical spectra in MnSb and MnAs films prepared by atomic-hydrogen assisted hot wall epitaxy on GaAs 1379

Sato, K., N. Suzuki, T. Kanomata, H. Yamauchi, H. Yoshida, T. Kaneko, Y. Yamaguchi, T. Kamishima and T. Goto
Pressure dependence of the Curie temperature and spontaneous magnetization of MnRhP 1381

Shirai, M., T. Ogawa, I. Kitagawa and N. Suzuki
Band structures of zinc-blende-type MnAs and $(MnAs)_1(GaAs)_1$ superlattice 1383

Takagaki, M., T. Kawakami, M. Shirai and K. Motizuki
Pressure effect on electronic band structures of NiAs-type chromium chalcogenides 1385

Tanaka, N., Y. Hirota, T. Kawakami and K. Motizuki
Magnetic anisotropy energy of antiferromagnetic Bi_2CuO_4 1387

Sato Turtelli, R., R. Grössinger, E. de Morais, V. Hong Duong, G. Wiesinger, M. Dahlgren and E. Ferrara
Magnetic properties of Si rich $Fe_{100-x}Si_x$ rapidly quenched alloys 1389

Uyeda, Y., H. Yasuoka and Y. Ueda
The effects of the oxygen defects in $CaVO_{3-x}$ system 1391

Wada, S., Y. Yoshikawa, K. Miyatani and T. Tanaka
Structural phase transition and low-energy spin excitations in CuV_2S_4 spinel 1393

Forsyth, J.B., P.J. Brown, M.S. Lehmann, D. Myles, C. Wilkinson and A.Z. Men'shikov
Neutron Laue diffraction from the magnetic structure of 4% Ga-doped $FeGe_2$ 1395

Yamada, Y., K. Kuroda, A. Sakata and T. Murakami
Magnetic properties of $Ti(Fe_{1-x}Al_x)_2$ 1397

Ling, M.F., J.B. Staunton, D.D. Johnson and F.J. Pinski
Magnetic correlations in γ-Mn and a Mn–10 at%Cu alloy 1399

Bauer, E., A. Galatanu, R. Hauser, Ch. Reichl, G. Wiesinger, G. Zaussinger, M. Galli and F. Marabelli
Evolution of a metallic and magnetic state in (Fe,Mn)Si and Fe(Si,Ge) 1401

Asato, M., T. Hoshino, T. Asada, R. Zeller and P.H. Dederichs
Vacancy formation energies in FCC metals: non-local effect beyond the LSDA 1403

Betsuyaku, K., H. Harima and A. Yanase
Contributions of non-spherical potentials near atomic nuclei: Improvement of FLAPW method 1405

Hirai, K.
First-principles KKR calculation for spin-density-wave chromium 1407

Entel, P., K. Kadau, R. Meyer, H.C. Herper, M. Acet and E.F. Wassermann
Numerical simulation of martensitic transformations in magnetic transition-metal alloys 1409

Hoshino, T., M. Asato, T. Asada, R. Zeller and P.H. Dederichs
Non-self-consistent first-principles calculations for total-energy differences 1411

Prinsloo, A.R.E., H.L. Alberts and P. Smit
Non-linear acoustic properties of a Cr + 0.84 at% Ga alloy single crystal through the Néel point 1413

Arola, E., P. Strange, N.I. Kulikov, M.J. Woods and B.L. Gyorffy
Application of the relativistic theory of magnetic scattering of X-rays to ferromagnetic Fe and $Cr_{47}Fe_{53}$ alloy 1415

Shiraishi, H., T. Hori, H. Kato, H. Onodera, Y. Yamaguchi and K. Kanematsu
Magnetic properties of $(Ni_{1-x}Mn_x)_{1.9}Ge$ Alloys 1417

Cussen, L.D., M.F. Ling, T.J. Hicks, R. Piltz and Y. Tsunoda
Transverse spin freezing in antiferromagnetic γ-$Mn_{90}Cu_{10}$ 1419

Goto, T., K. Ono, T. Kanomata, K. Watanabe, H. Yoshida and J.M. Cadogan
Atomic-volume dependence of the spin state in Fe–rich fcc Fe–Pt-Ru alloys 1421

Hori, T., H. Niida, K. Ohyama, M. Ohashi, H. Onodera, Y. Yamaguchi, H. Kato and Y. Nakagawa
Magnetic properties of $(Fe_{1-x}Mn_x)_3Ga$ 1423

Hori, T., Y. Tuchiya, S. Funahashi, M. Akimitsu, Y. Shimojo, H. Shiraishi and Y. Nakagawa
Neutron diffraction study on hp 13 type $M_{7-x}Mn_xGe_6$ (M = Co, Fe) 1425

Kato, T., S. Iwata, M. Yasui, K. Fukawa and S. Tsunashima
Magneto-optical spectra of $(Mn_{1-x}M_x)Pt_3$ (M = Fe, Co) ordered alloy films 1427

Kawakami, M.
NMR study of the low-moment state of manganese impurity in ferromagnetic cobalt 1429

Carbonari, A.W., J. Mestnik Filho and R.N. Saxena
Magnetic hyperfine field at Hf site in $Hf(Fe_{1-x}Co_x)_2$ and $Hf(Fe_{1-x}Co_x)_2H_y$ at low Co concentration measured by TDPAC 1431

Kopcewicz, M., A. Grabias and B. Idzikowski
Magnetic properties of nanocrystalline $Fe_{80}Ti_7B_{12}Cu_1$ alloy investigated by the RF-Mössbauer technique 1434

Endo, K., H. Matsuda, K. Ooiwa, M. Iijima, T. Goto, K. Sato and I. Umehara
Anomalous GMR in $Fe_{2+x}V_{1-x}Ga$ and $Fe_{2+y}V_{1-y}Al$ 1437

Oba, N., H. Takano, S. Murayama and K. Hoshi
Martensitic transformation and structural inhomogeneity in $Fe_{72}Pt_{28}$ induced by mechanical milling 1439

de Oliveira, A.L., M.V. Tovar Costa, N.A. de Oliveira and A. Troper
Study of magnetic hyperfine data on rare-earth impurities in Fe and Ni: Non-orbital contribution 1441

Ooiwa, K. and K. Endo
Nuclear magnetic relaxation in Heusler alloys Fe_2VGa and Fe_2VAl 1443

Takano, H., N. Oba, S. Murayama and K. Hoshi
Mechanical milling in hexagonal Fe–Y compounds 1445

Tsuchiya, Y., H. Nakamura, S. Murayama, K. Hoshi, Y. Shimojyo, Y. Morii and Y. Hamaguchi
Neutron diffraction and Mössbauer measurements for magnetism of BCC Cr–Fe–Mn alloys 1447

Yoshida, H., S. Abe, T. Kaneko, Y. Fujimori and S. Ohta
Fe replacement effect Cu in the antiferromagnetic ordered alloy $(Fe_{1-x}Cu_x)_{24}Pt_{76}$ 1449

Chapter 19. Geomagnetism, biomagnetism and other systems

Azanza, M.J. and A. del Moral
ELF-magnetic field induced effects on the bioelectric activity of single neurone cells 1451

Bahaj, A.S., P.A.B. James and F.D. Moeschler
Low magnetic-field separation system for metal-loaded magnetotactic bacteria 1453

Chihara, H., T. Okamura and C. Uyeda
The magnetic ordering of graphite grains and its application to astrophysical problems 1455

Kilcoyne, S.H. and A. Gorisek
Magnetic properties of iron dextran 1457

Allen, P.D., T.G. St. Pierre and R. Street
Magnetic interactions in native horse spleen ferritin below the superparamagnetic blocking temperature 1459

Roshko, R.M. and B.M. Moskowitz
A Preisach analysis of magnetoferritin 1461

Schroeder, P.A., P. Holody, R. Loloee, C. Vouille, A. Barthelemy, A. Fert and S.Y. Hsu
Unified picture of spin-dependent transport in GMR multilayered structures and bulk ferromagnetic alloys 1464

Mitsui, T., M. Nasui, N. Nakano, T. Kato, H. Tanaka and K. Iio
Magnetic and dielectric properties of $KNiCl_3$-type triangular lattice antiferromagnets with lattice distortion 1466

Tanaka, H., H. Harima, T. Yamamoto, H. Katayama-Yoshida, Y. Nakata and Y. Hirotsu
Theoretical study of electronic band structures and magnetic property of $Fe_{16}N_2$ based on FLAPW calculations 1468

Lord, J.S.
Muon spin resonance in ferromagnets 1470

Paterson, J.H., S.J. Cooke and A.D.R. Phelps
Finite-difference calculation of demagnetizing factors for shapes with cylindrical symmetry 1472

Rave, W., E. Zueco, R. Schäfer and A. Hubert
Observations on high-anisotropy single crystals using a combined Kerr/magnetic force microscope 1474

Shakhmuratova, L.N., D.K. Fowler and D.H. Chaplin
Multistructural character of nuclear spin echo signals formed from multidomain ferromagnets: theory and experiment 1476

Geoghegan, D.S., A. Hütten, K.-H. Müller and L. Schultz
Magnetoresistance of melt-spun Au–Co 1478

Telling, M.T.F., C. Ritter and R. Cywinski
Dynamic spin correlations in $(Dy_{1-x}Y_x)Mn_2$ 1480

Pérez, L.A. and C. Wang
Hole pairing in the Hubbard model 1482

Wakabayashi, K., M. Fujita, K. Kusakabe and H. Ajiki
Magnetic field effect on graphite ribbons 1484

List of contributors 1486

Materials index 1496

Subject index 1501